



Type GM EMV (metal locknut for EMC applications)



Product information

The GM EMV lock nut is available with a metric or Pg thread and has special cutting edges. These cutting edges are required to "cut through" the paint layers, for example on the control cabinet, ensuring optimum contact with the housing.

Information, conformities and approvals







Article	Order No.	Color	IG	EH mm	SW 1 mm	PU pcs.
GM EMV M12x1,5	83727050	Silver	M12x1,5	3.3	15	100
GM EMV M16x1.5	83727052	Silver	M16x1,5	3.5	19	100
GM EMV M20x1,5	83727054	Silver	M20x1,5	3.6	24	100
GM EMV M25x1.5	83727056	Silver	M25x1,5	5.2	30	50
GM EMV M32x1.5	83727058	Silver	M32x1,5	4	36	50
GM EMV M40x1.5	83727060	Silver	M40x1,5	4.6	46	50
GM EMV M50x1.5	83727062	Silver	M50x1,5	5.5	60	10
GM EMV M63x1.5	83727064	Silver	M63x1,5	6.7	70	10
GM EMV PG07	83722050	Silver	PG 07	3.3	16.5	100
GM EMV PG09	83722052	Silver	PG 09	3.3	18	100
GM EMV PG11	83722054	Silver	PG 11	3.5	21	100
GM EMV PG13.5	83722056	Silver	PG 13,5	3.5	23	100
GM EMV PG16	83722058	Silver	PG 16	3.5	26	100

© Murrplastik Systemtechnik GmbH • 1 as of 2025-03-22 - 185331





Type GM EMV (metal locknut for EMC applications)

Article	Order No.	Color	IG	EH mm	SW 1 mm	PU pcs.	
GM EMV PG21	83722060	Silver	PG 21		32	50	
OH EHV FOZI	03722000	Silvei	FU 21	4	32	50	
GM EMV PG29	83722062	Silver	PG 29	4.6	41	50	
GM EMV PG36	83722064	Silver	PG 36	5.6	51	25	
GM EMV PG42	83722066	Silver	PG 42	5.6	60	10	
GM EMV PG48	83722068	Silver	PG 48	6.1	64	10	

Material properties



Brass nickel-plated

Chemical resistances



Resistant to: Alcohol Greases Fuels Mineral oils Lyes Weak acids

Technical information



Halogen-free

Conformity



RoHS (EC Directive 2011/65/EU)

Classification



ETIM 9: EC000940 ECLASS 14: 23110702

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.