






Product information

The KDP/ZR cable entry plate is made of modified Polypropylene and is a round entry and fastening system for cables without plugs and pneumatic hoses such as those used in control cabinets, plant or machine construction. Wherever quick assembly is required with high packing density and cables must be protected, the cable insertion system is used.

The special benefits of the KDP/ZR are:

- Enormous time savings in assembly
- High packing density
- Standardized cut-out dimensions
- Large wire diameter ranges
- Very flat design





Information, conformities and approvals


















Article	Order No.	Color	No. of openings	Openings Quantity / Thread metric Ø mm	PU pcs.
small thread	·				
KDP/ZR 40/6, KG	87303130	Black	6	1x 2 mm – 4 mm 2x 3 mm M40x1,5 – 6 mm 2x 5 mm – 9 mm 1x 7.5 mm – 12 mm	5
KDP/ZR 40/7, KG	87303132	Black	7	4x 3 mm – 6 mm 3x 5 mm M40x1,5 – 9 mm	5
KDP/ZR 50/10, KG	87303150	Black	10	2x 2 mm – 4 mm 3x 3 mm M50x1,5 – 6 mm 3x 5 mm – 9 mm 1x 7.5 mm – 12 mm 1x 10 mm – 16 mm	5
KDP/ZR 50/10-1, KG	87303152	Black	10	3x 3 mm – 6 mm 7x 5 mm M50x1,5 – 9 mm	5
KDP/ZR 63/15, KG	87303170	Black	15	4x 2 mm – 4 mm 3x 3 mm M63x1,5 – 6 mm 4x 5 mm – 9 mm 2x 7.5 mm – 12 mm 1x 10 mm – 16 mm 1x 14 mm – 20 mm	5
KDP/ZR 63/18, KG	87303172	Black	18	8x 3 mm – 6 mm 10x 5 mm M63x1,5 – 9 mm	5
KDP/ZR 63/30, KG	87303174	Black	30	30x 3 mm - 6 mm M63x1,5	5
Standard thread					
KDP/ZR 40/6	87303120	Black	6	1x 2 mm – 4 mm 2x 3 mm M40x1,5 – 6 mm 2x 5 mm – 9 mm 1x 7.5 mm – 12 mm	5
KDP/ZR 40/7	87303122	Black	7	4x 3 mm – 6 mm 3x 5 mm M40x1,5 – 9 mm	5


@ Murrplastik Systemtechnik GmbH • as of 2025-03-22 - 181064





Article	Order No.	Color	No. of openings	Openings Quantity / Thread metric Ø mm	PU pcs.
KDP/ZR 50/10	87303140	Black	10	2x 2 mm – 4 mm 3x 3 mm M50x1,5 – 6 mm 3x 5 mm – 9 mm 1x 7.5 mm – 12 mm 1x 10 mm – 16 mm	5
KDP/ZR 50/10-1	87303142	Black	10	3x 6 mm – 9 mm 7x 5 mm M50x1,5 – 9 mm	5
KDP/ZR 63/15	87303160	Black	15	4x 2 mm – 4 mm 3x 3 mm M63x1,5 – 6 mm 4x 5 mm – 9 mm 2x 7.5 mm – 12 mm 1x 10 mm – 16 mm 1x 14 mm – 20 mm	5
KDP/ZR 63/18	87303162	Black	18	8x 3 mm – 6 mm 10x 5 mm M63x1,5 – 9 mm	5
KDP/ZR 63/30	87303164	Black	30	30x 3 mm – 6 mm M63x1,5	5





Article	Order No.	A mm	B mm	C mm	d mm
KDP/ZR 40/6, KG	87303130	48.5	8.5	12	40.5
KDP/ZR 40/7, KG	87303132	48.5	8.5	12	40.5
KDP/ZR 50/10, KG	87303150	58.5	8.5	12	50.5
KDP/ZR 50/10-1, KG	87303152	58.5	8.5	12	50.5
KDP/ZR 63/15, KG	87303170	71.5	8.5	12	63.5
KDP/ZR 63/18, KG	87303172	71.5	8.5	12	63.5
KDP/ZR 63/30, KG	87303174	71.5	8.5	12	63.5
Standard thread					
KDP/ZR 40/6	87303120	48.5	8.5	24.5	40.5
KDP/ZR 40/7	87303122	48.5	8.5	24.5	40.5
KDP/ZR 50/10	87303140	58.5	8.5	24.5	50.5
KDP/ZR 50/10-1	87303142	58.5	8.5	24.5	50.5
KDP/ZR 63/15	87303160	71.5	8.5	24.5	63.5





Article	Order No.	A mm	B mm	C mm	d mm
KDP/ZR 63/18	87303162	71.5	8.5	24.5	63.5
KDP/ZR 63/30	87303164	71.5	8.5	24.5	63.5

Material properties



Frame: Polypropylene (PP)

Seal: Thermoplastic elastomer (TPE) Polypropylene (PP)

Thermoplastic elastomer (TPE)

Thermal properties



Temperature / temperature range -45 $^{\circ}$ C - 70 $^{\circ}$ C

Protection class



Protection classIP66/67 IP69K (with matching cables)

Fire properties



Fire classificationHB

Technical information



LABS free



According to ISO 4892-2



exterior

Conformity



RoHS (EC Directive 2011/65/EU)

Approvals and operating permits



cURus approval

© Murrplastik Systemtechnik GmbH • 3 as of 2025-03-22 - 181064





Approvals and operating permits



UL Type 4x

Classification



ETIM 9: EC002624 ECLASS 14: 27182815 UNSPSC 26.0801: 39121312

General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.