



mp-LM 3




Product information

Economical laser labeling system for the automated processes of individual print jobs for the project-specific labeling of most Murrplastik plastic labels.

Technical data

- Wavelength emissions: 1064 nm
- Cooling: Air
- Printable area: 120 x 120 mm
- Operation duration: ca. 52 s (1 frame KS 4/18 L, TrueType Arial, 342 characters, 6 ea. label)
- Input voltage: 100 – 240 V AC
- Storage temperature: min. 0 °C / max. 50 °C (max. 24h)
- Transport: The unit should not be exposed to shocks or vibrations.
- Operating temperature: min. 15 °C / max. 35 °C
- Humidity: 10 – 85 % without condensation

Information, conformities and approvals



Article	Order No.	Interface	Laser class	Laser power: W	Laser source	Width mm	Depth mm	Height mm	Weight kg	PU pcs.
mp-LM 3	86624130	USB, Ethernet	1	3	Nd:YAG / pulsed	795	300	475	17.5	1

Thermal properties



Temperature / temperature range

15 °C – 35 °C

Classification

ETIM 9: EC000610
ECLASS 14: 24321190
UNSPSC 26.0801: 39131500

Labelling technology



Laser

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.