




Cable entry system type KDL/S 16



Product information


- The flexible special bar enables individual solutions for cables with and without connectors
- 2-piece frame
- Individual solutions are possible, a wide variety of cable types can be implemented
- Protection class: IP 54 (with suitable grommets and cables)
- Thermal stability: -40 °C – +80 °C
- Fire classification: V0
- Material: Polyamide 6.6
- RoHS compliant
- UV resistant
- Made in Germany
- Suitable for standard cut-outs for 16-pin industrial connectors
- Suitable grommets: KDT/S



Information, conformities and approvals



Article	Order No.	Color	Cut-out	PU pcs.
For standard cut-out size 16				
KDL/S 16	87173004	Black	16-pole	1



Article	Order No.	A mm	B mm	C mm	D mm	a mm	b mm	c mm	d mm	e mm	EH mm
KDL/S 16	87173004	116	58	82	43	86	36	51.5	16	5.5	15

Material properties



Polyamide 6.6



Cable entry system type KDL/S 16

Thermal properties



Temperature / temperature range

-40 °C - 80 °C

Protection class



Protection class

IP54 (with suitable grommets and cables)

Fire properties



Fire classification

V0

Technical information



Halogen-free



According to ISO 4892-2

Conformity



RoHS (EC Directive 2011/65/EU)

Classification

ETIM 9: EC002624

ECLASS 14: 27182815

UNSPSC 26.0801: 39121312

General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.