





ALM Rectangular with radius, 4x hole





Product information

- Triple-layer material (aluminum-plastic-aluminum)
- Black plastic inner layer
- Outer layer in silver or gold
- Available with self-adhesive foil / adhesive foil
- Thickness: 1.5 mm
- Inscription technique: Engraving

Information, conformities and approvals







Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.		
Corner radius 2 mm; with adhesive foil										
ALM 60x15 R2 HF, 4x3,5MM	8603146007	Silver / Black / Silver	60 x 15	4x 3.5	1.5	65	A3Q	65		
ALM 105x52 R2 HF, 4x3.2MM	8603146003	Silver / Black / Silver	105 x 52	4x 3.2	1.5	6	238	6		
ALM 148x105 R2 HF, 4x3.2MM	8603146002	Silver / Black / Silver	148 x 105	4x 3.2	1.5	2	237	2		
Corner radius 1.5 m	Corner radius 1.5 mm; with adhesive foil									
ALM 40x15 R1.5 HF, 4x3.0MM	8603146001	Silver / Black / Silver	40 x 15	4x 3.0	1.5	91	615	91		
ALM 45x15 R1.5 HF, 4x3.0MM	8603146000	Silver / Black / Silver	45 x 15	4x 3.0	1.5	78	61	78		
Corner radius 3 mm; with adhesive foil										
ALM 60x20 R3 HF, 4x5.0MM	8603146005	Silver / Black / Silver	60 x 20	4x 5.0	1.5	50	2P	50		
ALM 130x55 R3 HF, 4x3.3MM	8603146006	Silver / Black / Silver	130 x 55	4x 3.3	1.5	6	80	6		
Corner radius 1 mm; with self-adhesive foil										
ALM 70x45 R1 SK, 4x3.2MM 1)	8603140002	Silver / Black / Silver	70 x 45	4x 3.2	1.5	16	H84	16		


as of 2025-10-14 - 174814 © Murrplastik Systemtechnik GmbH •





ALM Rectangular with radius, 4x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.	
Corner radius 2.5 mm; with self-adhesive foil									
ALM 150x40 R2.5 SK, 4x3.2MM	8603140001	Silver / Black / Silver	150 x 40	4x 3.2	1.5	10	Н38	10	
1) Other sizes available on re	quest								
1) Other sizes available on re	quest								



Article	Order No.	Drill hole pitch X	Drill hole pitch Y	Drill hole position X1	Drill hole position Y1	Drill hole position X2	Drill hole position Y2	
Corner radius 2 mm;	with adhesive foil		- 			- 		
ALM 60x15 R2 HF, 4x3,5MM	8603146007							
ALM 105x52 R2 HF, 4x3.2MM 1)	8603146003	95	42	5	5	100	47	
ALM 148x105 R2 HF, 4x3.2MM 1)	8603146002	128	85	10	10	138	95	
Corner radius 1.5 mm	; with adhesive foil							
ALM 40x15 R1.5 HF, 4x3.0MM 1)	8603146001	35	10	2.5	2.5	37.5	12.5	
ALM 45x15 R1.5 HF, 4x3.0MM 1)	8603146000	39	9	3	3	42	12	
Corner radius 3 mm;	with adhesive foil							
ALM 60x20 R3 HF, 4x5.0MM 1)	8603146005	50	10	5	5	55	15	
ALM 130x55 R3 HF, 4x3.3MM 1)	8603146006	120	45	5	5	125	50	
Corner radius 1 mm; with self-adhesive foil								
ALM 70x45 R1 SK, 4x3.2MM 1)	8603140002	63	38	3.5	3.5	66.5	41.5	
Corner radius 2.5 mm; with self-adhesive foil								
ALM 150x40 R2.5 SK, 4x3.2MM 1)	8603140001	144	34	3	3	147	37	
1) Other sizes available on requ	uest							





ALM Rectangular with radius, 4x hole

Material properties



Alumatt (ALM)



Adhesive properties



467SK adhesive film with adhesive

Thermal properties



Temperature / temperature range

-40 °C - 80 °C

Fire properties



Fire classification

Classification

ETIM 9: EC001288 ECLASS 14: 27144009 UNSPSC 26.0801: 39131504

General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

Assembly method



Adhesive system



Screw system

Labelling technology



Engraving

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the product described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.