


Product information

Information, conformities and approvals








Article Order No.	Color	Material thickness mm	Printable area mm	No. characters/ lines	Number x Holes mm	Quantity per frame	Software Article	PU pcs.
Rectangular design with corne	r radius and 4 slots							
LAM 120x19 R0,5 HF, 8610140321 4x (6x2MM)	Yellow matte	1	102 x 19	56 / 5	4x (6,0x2,0)	6	OF2	24
LAM 120x19 R0,5 HF, 8610140320 4x (6x2MM)	Silver	1	102 x 19	56 / 5	4x (6,0x2,0)	6		24
LAM° 40x12 R1,5 HF, 8610140363 4x (5x3MM), VE 320	Silver	1.5	23 x 12	12 / 3	4x (5,0x3,0)	16	OVY	320
LAM° 40x12 R1,5 HF, 8610140373 4x (5x3MM), VE 320	Silver	0.5	23 x 12	12 / 3	4x (5,0x3,0)	16	OW9	320
LAM° 60x12 R2 HF, 8610140364 4x (5x3MM), VE 160	Silver	1	36 x 12	20 / 3	4x (5,0x3,0)	8	OVZ	160
LAM° 60x12 R2 HF, 8610140374 4x (5x3MM), VE 160	Silver	0.5	42 x 12	23 / 3	4x (5,0x3,0)	8	0W0	160
LAM° 60x17 R1,5 HF, 8610140369 4x (7x3MM), VE 120	Silver	1	38 x 17	21 / 5	4x (7,0x3,0)	6	0W5	120
LAM° 60x17 R1,5 HF, 8610140383 4x (7x3MM), VE 120	Silver	0.5	38 x 17	21 / 5	4x (7,0x3,0)	6	OWY	120
LAM° 34x10 R1 HF, 8610140010 4x (5,4x2MM)	Silver	0.5	18 x 10	10 / 2	4x (5,4x2,0)	27	LB0	108
LAM° 40x12 R1,5 HF, 8610140007 4x (5x3MM)	Silver	0.5	23 x 12	12 / 3	4x (5,0x3,0)	16	LA7	64
LAM ^o 44x10 R1 HF, 8610140009 4x (5,4x2MM)	Silver	0.5	28 x 10	15 / 2	4x (5,4x2,0)	18	LA9	72

© Murrplastik Systemtechnik GmbH • as of 2025-10-29 - 187896





Article (Order No.	Color	Material thickness mm	Printable area mm	No. characters/ lines	Number x Holes mm	Quantity per frame	Software Article	PU pcs.
LAM 52x18 R2 HF, 4x 8 (4x3MM)	8610140088	Silver	1	35.6 x 18	19 / 5	4x (4,0x3,0)	10	L1W	40
LAM ^o 54x12 R1 HF, 8 4x (5,4x2MM)	8610140008	Silver	0.5	38 x 12	21 / 3	4x (5,4x2,0)	16	LA8	64
LAM 54x20 R2 HF, 8 4x (6x2.5MM)	8610140059	Silver	0.5	33 x 20	18 / 5	4x (6,0x2,5)	10	LP4	40
LAM 60x12 R2 HF, 4x8 (5x3MM)	8610140092	Silver	1	36 x 12	20 / 3	4x (5,0x3,0)	8	L2A	32
LAM° 60x12 R2 HF, 8 4x (5x3MM)	8610140001	Silver	0.5	42 x 12	23 / 3	4x (5,0x3,0)	8	LA1	32
LAM° 60x17 R1,5 HF, 8 4x (7x3MM)	8610140000	Silver	0.5	38 x 17	21 / 5	4x (7,0x3,0)	6	LAO	24
LAM° 64x14 R1 HF, 8 4x (5,4x2MM)	8610140011	Silver	0.5	48 x 14	26 / 4	4x (5,4x2,0)	7	LB1	28
LAM° 68x10 R1 HF, 8 4x (5,4x2MM)	8610140012	Silver	0.5	53 x 10	29 / 2	4x (5,4x2,0)	9	LB2	36
LAM 80x20 R2 HF, 8 4x (6x2.5MM)	8610140058	Silver	0.5	59 x 20	32 / 5	4x (6,0x2,5)	5	LP3	20
LAM 100x18 R2 HF, 8 4x (4x2MM)	8610140269	Silver	0.5	82 x 18	45 / 5	4x (4,0x2,0)	5	NJ3	20



Article	Order No.	Outside radius R mm	s Drill hole pitch X mm	n Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm	Radius mm	Hole patterns	Adhesive
LAM 120x19 R0,5 HF, 4x (6x2MM)	8610140320	0.5	108	13.5	6	2.75	114	16.25	0.5	4x (6,0x2,0)	Adhesive foil
LAM° 40x12 R1,5 HF, 4x (5x3MM), VE 320	8610140363	1.5							1.5	4x (5,0x3,0)	Adhesive foil
LAM° 40x12 R1,5 HF, 4x (5x3MM), VE 320	8610140373	1.5	30	6	5	3	35	9	1.5	4x (5,0x3,0)	Adhesive foil
Lam° 60x12 R2 HF, 4x (5x3MM), VE 160	8610140364	2	46	6	7	3	53	9	2	4x (5,0x3,0)	Adhesive foil
Lam° 60x12 R2 HF, 4x (5x3MM), VE 160	8610140374	2	49	6	5.5	3	54.5	9	2	4x (5,0x3,0)	Adhesive foil
LAM° 60x17 R1,5 HF, 4x (7x3MM), VE 120	8610140369	1.5	45	10	7.5	3.5	52.5	13.5	1.5	4x (7,0x3,0)	Adhesive foil
Lam° 60x17 R1,5 HF, 4x (7x3MM), VE 120	8610140383	1.5	45	10	7.5	3.5	52.5	13.5	1.5	4x (7,0x3,0)	Adhesive foil





Article	Order No.	Outoido ve disse	s Drill hole pitch	. Drill bala sitat	. Drill bala	Drill hole	Drill hole	Drill hole	Radius	Hole patterns	Adhaaiya
Arucie	urder No.	R mm	X mm	Y mm	position X1	position Y1	position X2 mm	position Y2 mm	mm	noie patterns	Aunesive
LAM° 34x10 R1 8 HF, 4x (5,4x2MM)	8610140010	1	25.4	5	4.3	2.5	29.7	7.5	1	4x (5,4x2,0)	Adhesive foil
LAM° 40x12 R1,5 { HF, 4x (5x3MM)	8610140007	1.5	30	6	5	3	35	9	1.5	4x (5,0x3,0)	Adhesive foil
LAM° 44x10 R1 8 HF, 4x (5,4x2MM)	8610140009	1	35.4	5	4.3	2.5	39.7	7.5	1	4x (5,4x2,0)	Adhesive foil
LAM 52x18 R2 HF, 8 4x (4x3MM)	8610140088	2	43.6	9	4.2	4.5	47.8	13.5	2	4x (4,0x3,0)	Adhesive foil
LAM° 54x12 R1 8 HF, 4x (5,4x2MM)	8610140008	1	45.4	7	4.3	2.5	49.7	9.5	1	4x (5,4x2,0)	Adhesive foil
LAM 54x20 R2 8 HF, 4x (6x2.5MM)	8610140059	2	45	8.5	4.5	5.75	49.5	14.25	2	4x (6,0x2,5)	Adhesive foil
LAM 60x12 R2 HF,8 4x (5x3MM)	8610140092	2	46	6	7	3	53	9	2	4x (5,0x3,0)	Adhesive foil
LAM° 60x12 R2 = 8 HF, 4x (5x3MM)	8610140001	2	49	6	5.5	3	54.5	9	2	4x (5,0x3,0)	Adhesive foil
LAM° 60x17 R1,5 8 HF, 4x (7x3MM)	8610140000	1.5	45	10	7.5	3.5	52.5	13.5	1.5	4x (7,0x3,0)	Adhesive foil
LAM° 64x14 R1 - 8 HF, 4x (5,4x2MM)	8610140011	1	55.4	9	4.3	2.5	59.7	11.5	1	4x (5,4x2,0)	Adhesive foil
LAM° 68x10 R1 8 HF, 4x (5,4x2MM)	8610140012	1	60.4	5	3.8	2.5	64.2	7.5	1	4x (5,4x2,0)	Adhesive foil
LAM 80x20 R2 8 HF, 4x (6x2.5MM)	8610140058	2	71	8.5	4.5	5.75	75.5	14.25	2	4x (6,0x2,5)	Adhesive foil
LAM 100x18 R2 8 HF, 4x (4x2MM)	8610140269	2	90	12	5	3	95	15	2	4x (4,0x2,0)	Adhesive foil

Material properties



Aluminium painted (ALU)

Adhesive properties



467 5016SK adhesive film with adhesive SKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range

-20 °C - 80 °C / short term: 120 °C

Fire properties



Fire classification

٧n

© Murrplastik Systemtechnik GmbH • 3 as of 2025-10-29 - 187896





Classification

ETIM 9: EC001530 ECLASS 14: 27281102 UNSPSC 26.0801: 39131504

General technical data



Assembly method

0000100000000

Assembly method



Cable ties

Labelling technology



All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the product described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.