




DM Rectangular without radius, 2x centre punch



Product information

- Duomatt is a double-layer material with an UV resistant colored outer layer for marking with a Murrplastik engraving or plotter system.
- Available in various color combinations
- Three different carrier materials available
- Different geometries and holes
- UV resistant outer layer
- Material thickness 0.8 mm or 1.5 mm
- Other sizes available on request

Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Without corner radius; with self-adhesive foil								
DM 126x18,5 SK, 2 centre punches 1)	8601290004	White / Black	126 x 18.5	2x centre punch	0.8	18	R23	18
DM 13x25 SK, 2 centre punches 1)	8601290005	White / Black	13 x 25	2x centre punch	0.8	147	325	147
DM 18,5x152,4 SK, 2 centre punches 1)	8601290002	White / Black	18.5 x 152.4	2x centre punch	0.8	15	R1L	15
DM 18,5x75 SK, 2 centre punches 1)	8601290003	White / Black	18.5 x 75	2x centre punch	0.8	30	R1N	30
DM 19,1x44,5 SK, 2 centre punches 1)	8601290008	White / Black	19.1 x 44.5	2x centre punch	0.8	56	329	56
DM 20x45 SK, 2 centre punches 1)	8601220142	Black / White	20 x 45	2x centre punch	0.8	56	L70	56
DM 25x75 SK, 2 centre punches 1)	8601290009	White / Black	25 x 75	2x centre punch	0.8	22	327	22
DM 45x20 SK, 2 centre punches 1)	8601220139	White / Black	45 x 20	2x centre punch	0.8	54	G35	54
DM 52x26 SK, 2 centre punches 1)	8601290006	White / Black	52 x 26	2x centre punch	0.8	35	R18	35
DM 75x15 SK, 2 centre punches 1)	8601290001	Silver / Black	75 x 15	2x centre punch	0.8	36	G59	36
DM 75x15 SK, 2 centre punches	8601220138	White / Black	75 x 15	2x centre punch	1.5	36	H95	36




DM Rectangular without radius, 2x centre punch

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
---------	-----------	-------	---------------	-------------------	-----------------------	------------------	------------------	---------

1) Other sizes available on request

1) Other sizes available on request



Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
DM 126x18,5 SK, 2 centre punches 1)	8601290004	116		5	9.25	121	
DM 13x25 SK, 2 centre punches 1)	8601290005		20	6.5	2.5		22.5
DM 18,5x152,4 SK, 2 centre punches 1)	8601290002		143	9.25	4.7		147.7
DM 18,5x75 SK, 2 centre punches 1)	8601290003		68	9.25	3.5		71.5
DM 19,1x44,5 SK, 2 centre punches 1)	8601290008		39.5	9.55	2.5		42
DM 20x45 SK, 2 centre punches 1)	8601220142		38	10	3.5		41.5
DM 25x75 SK, 2 centre punches 1)	8601290009		70	12.5	2.5		72.5
DM 45x20 SK, 2 centre punches 1)	8601220139	38		3.5	10	41.5	
DM 52x26 SK, 2 centre punches 1)	8601290006	45		3.5	13	48.5	
DM 75x15 SK, 2 centre punches 1)	8601290001	68		3.5	7.5	71.5	
DM 75x15 SK, 2 centre punches 1)	8601220138	68		3.5	7.5	71.5	

1) Other sizes available on request

Adhesive properties



467
5016SK adhesive film with adhesive
SKS adhesive film with foam adhesive



DM Rectangular without radius, 2x centre punch

Thermal properties



Temperature / temperature range

-30 °C - 80 °C

Classification

ETIM 9: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

Assembly method



Adhesive system



Screw system

Labelling technology



Plotter



Engraving

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.