




## KSM label plate



### Product information

High-quality, halogen-free label for subsequent direct labeling of wires. The KSM label, made of PC materials, was developed for the direct and subsequent labeling of cords and cables. Only cable ties are required for mounting.

### Information, conformities and approvals



| Article                        | Order No. | Color  | RAL equiv. | min Diameter mm | Label size (A x B) mm | Printable area mm | Number of characters / lines | Quantity per frame | Software Article | Base plate | PU pcs. |
|--------------------------------|-----------|--------|------------|-----------------|-----------------------|-------------------|------------------------------|--------------------|------------------|------------|---------|
| <b>For lengthways mounting</b> |           |        |            |                 |                       |                   |                              |                    |                  |            |         |
| KSM 35x8 PC                    | 86281410  | White  | 9016       | 5               | 8 x 35                | 8 x 18            | 10 / 2                       | 16                 | 514              | GP3M       | 320     |
| KSM 35x8 PC                    | 86281420  | Yellow | 1018       | 5               | 8 x 35                | 8 x 18            | 10 / 2                       | 16                 | 519              | GP3M       | 320     |
| KSM 45x10 PC                   | 86281412  | White  | 9016       | 5               | 10 x 45               | 10 x 28           | 15 / 2                       | 8                  | 515              | GP3M       | 160     |
| KSM 45x10 PC                   | 86281422  | Yellow | 1018       | 5               | 10 x 45               | 10 x 28           | 15 / 2                       | 8                  | 520              | GP3M       | 160     |
| KSM 55x12 PC                   | 86281414  | White  | 9016       | 5               | 12 x 55               | 12 x 38           | 21 / 3                       | 6                  | 516              | GP3M       | 120     |
| KSM 55x12 PC                   | 86281424  | Yellow | 1018       | 5               | 12 x 55               | 12 x 38           | 21 / 3                       | 6                  | 521              | GP3M       | 120     |
| KSM 65x14 PC                   | 86281418  | White  | 9016       | 5               | 14 x 65               | 14 x 48           | 26 / 4                       | 6                  | 518              | GP3M       | 120     |
| KSM 65x14 PC                   | 86281428  | Yellow | 1018       | 5               | 14 x 65               | 14 x 48           | 26 / 4                       | 6                  | 523              | GP3M       | 120     |
| KSM 70x10 PC                   | 86281416  | White  | 9016       | 5               | 10 x 70               | 10 x 53           | 29 / 2                       | 8                  | 517              | GP3M       | 160     |
| KSM 70x10 PC                   | 86281426  | Yellow | 1018       | 5               | 10 x 70               | 10 x 53           | 29 / 2                       | 8                  | 522              | GP3M       | 160     |



## KSM label plate

### Material properties

|  |                    |
|--|--------------------|
|  | Polycarbonate (PC) |
|--|--------------------|

### Thermal properties

|  |                                 |
|--|---------------------------------|
|  | Temperature / temperature range |
|  | -40 °C - 130 °C                 |

### Fire properties

|  |                     |
|--|---------------------|
|  | Fire classification |
|  | V0                  |

### Technical information

|  |              |
|--|--------------|
|  | Halogen-free |
|--|--------------|

### Classification

|                          |
|--------------------------|
| ETIM 9: EC001530         |
| ECLASS 14: 27281102      |
| UNSPSC 26.0801: 39131504 |

### General technical data

|  |                 |
|--|-----------------|
|  | Assembly method |
|  | 0001000000000   |

### Assembly method

|  |                             |
|--|-----------------------------|
|  | Cable tie system with plate |
|--|-----------------------------|

### Labelling technology

|  |         |
|--|---------|
|  | Plotter |
|  | Laser   |
|  | Inkjet  |

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.