



## Cable entry plate type KDP/E 24




### Product information

3. Generation of our cable entry plates, plastic, square, with improved clip-in function and one instead of two elastomer plates. Economical connection technology for tool-free wiring of equipment and machinery. Wherever the rapid and economical introduction of cables and/or pneumatic hoses in confined spaces is essential. The alternative to cable fittings. Suitable for standard cut-outs for 24-pin Harting and Wieland connectors. For snap-in fastening and/or screwing in place.

- Snap-in at plate thicknesses of 1.5 to 2.0 mm
- Lower strain relief
- Introduction of larger cable diameters is possible
- Introduction from both sides is possible

### Information, conformities and approvals




Article	Order No.	Color	Total no. of openings	Openings Quantity x Ø mm	PU pcs.
KDP/E 24/11	87301310	Black	11	4x 3 mm - 6.5 mm 4x 5 mm - 9.2 mm 3x 14 mm - 20 mm	1
KDP/E 24/12	87301320	Black	12	12x 8 mm - 12 mm	1
KDP/E 24/13	87301330	Black	13	2x 3 mm - 5.5 mm 6x 4.1 mm - 8.1 mm 4x 9 mm - 14 mm 1x 14 mm - 20 mm	1
KDP/E 24/14, VE 100	87301341	Black	14	6x 3 mm - 6.5 mm 4x 5 mm - 9.2 mm 4x 9.6 mm - 15.9 mm	100
KDP/E 24/14	87301340	Black	14	6x 3 mm - 6.5 mm 4x 5 mm - 9.2 mm 4x 9.6 mm - 15.9 mm	1
KDP/E 24/17, VE 100	87301353	Black	17	17x 5 mm - 9.2 mm	100
KDP/E 24/17	87301350	Black	17	17x 5 mm - 9.2 mm	1
KDP/E 24/17-1	87301352	Black	17	11x 3 mm - 6.5 mm 1x 4.1 mm - 8.1 mm 5x 8 mm - 12.5 mm	100
KDP/E 24/17-1	87301351	Black	17	11x 3 mm - 6.5 mm 1x 4.1 mm - 8.1 mm 5x 8 mm - 12.5 mm	1
KDP/E 24/22, VE 100	87301361	Black	22	16x 3 mm - 6.5 mm 4x 5 mm - 9.2 mm 2x 8 mm - 12.5 mm	100
KDP/E 24/22	87301360	Black	22	16x 3 mm - 6.5 mm 4x 5 mm - 9.2 mm 2x 8 mm - 12.5 mm	1



## Cable entry plate type KDP/E 24

Article	Order No.	Color	Total no. of openings	Openings Quantity x Ø mm	PU pcs.
KDP/E 24/23, VE 100	87301371	Black	23	23x 4.1 mm – 8.1 mm	100
KDP/E 24/23	87301370	Black	23	23x 4.1 mm – 8.1 mm	1
KDP/E 24/29, VE 100	87301381	Black	29	29x 3 mm – 6.5 mm	100
KDP/E 24/29	87301380	Black	29	29x 3 mm – 6.5 mm	1



Article	Order No.	Installation height mm	A mm	B mm	a mm	b mm	c mm	d mm	e mm
KDP/E 24/12	87301320	15	147	59	112	36	65	16	5.5
KDP/E 24/13	87301330	15	147	59	112	36	65	16	5.5
KDP/E 24/14, VE 100	87301341	15	147	59					
KDP/E 24/14	87301340	15	147	59	112	36	65	16	5.5
KDP/E 24/17, VE 100	87301353	15	147	59	112	36	65	16	5.5
KDP/E 24/17	87301350	15	147	59	112	36	65	16	5.5
KDP/E 24/17-1	87301352	15	147	59					
KDP/E 24/17-1	87301351	15	147	59	112	36	65	16	5.5
KDP/E 24/22, VE 100	87301361	15	147	59					
KDP/E 24/22	87301360	15	147	59	112	36	65	16	5.5
KDP/E 24/23, VE 100	87301371	15	147	59					
KDP/E 24/23	87301370	15	147	59	112	36	65	16	5.5
KDP/E 24/29, VE 100	87301381	15	147	59					
KDP/E 24/29	87301380	15	147	59	112	36	65	16	5.5



## Cable entry plate type KDP/E 24

### Material properties



Frame: Polyamide 6.6  
Seal: TPU / EPDM Polyamide 6.6  
TPU / EPDM

### Protection class



Protection class  
IP65

### Technical information



LABS free



According to ISO 4892-2

### Conformity



RoHS (EC Directive 2011/65/EU)

### Classification

ETIM 9: EC002624  
ECLASS 14: 27182815  
UNSPSC 26.0801: 39121312

### General information



Made in Germany