# Cable entry plate plastic customer-specific Type KDP/S-Z

## Product information

Flexible, high-density plastic cable entry plate, very flat due to 2-component design
In our on Demand process we provide your individual hole pattern. Unprocessed, the KDP/S-Z seals openings highly tight as a blanking plate with IP69K protection.

- Enormous time savings in assembly
- Highly dense blanking plate
- High packing density
- Large wire diameter ranges
- Good strain relief
- Suitable for standard cut-outs for 16-pin and 24-pin industrial connectors as well as Rittal size 2
- Assembly with clips or M5 screws possible




## Information, conformities and approvals

| Article | Order No. | Color | Cut-out | PU pcs. |
|---|---|---|---|---|
| KDP/S-Z 10 sw, VE 5 | 87303088 | Black | 10-pole | 5 |
| KDP/S-Z 16, sw, VE 5 | 87303064 | Black | 16-pole | 5 |
| KDP/S-Z 16, sw, VE 50 | 87303065 | Black | 16-pole | 50 |
| KDP/S-Z 24, sw | 87303090 | Black | 24-pole | 5 |
| KDP/S-Z 24, VE 50, sw | 87303092 | Black | 24-pole | 50 |
| KDP/S-Z RI-2, sw, VE 25 | 87303094 | Black | 2 | 25 |



| Article | Order No. | A mm | B mm | a mm | b mm | c mm | d mm | e mm |
|---|---|---|---|---|---|---|---|---|
| KDP/S-Z 16, sw, VE 5 | 87303064 | 123 | 61 | 86 | 36 | 51.5 | 16 | 5.5 |

# Cable entry plate plastic customer-specific Type KDP/S-Z

| Article | Order No. | A mm | B mm | a mm | b mm | c mm | d mm | e mm |
|---|---|---|---|---|---|---|---|---|
| KDP/S-Z 16, sw, VE 50 | 87303065 | 123 | 61 | 86 | 36 | 51.5 | 16 | 5.5 |
| KDP/S-Z 24, sw | 87303090 | 149 | 61 | 112 | 36 | 65 | 16 | 5.5 |
| KDP/S-Z 24, VE 50, sw | 87303092 | 149 | 61 | 112 | 36 | 65 | 16 | 5.5 |
| KDP/S-Z RI-2, sw, VE 25 | 87303094 | 221 | 92 | 192 | 62 | 101 | 36 | 5.5 |

## Material properties

Frame: Polypropylene (PP)
Seal: Thermoplastic elastomer (TPE) Polypropylene (PP)
Thermoplastic elastomer (TPE)

## Thermal properties

Temperature / temperature range

-30 °C – 70 °C

## Fire properties

Fire classification

HB

## Technical information

Halogen-free

LABS free

According to ISO 4892-2

## Conformity

RoHS (EC Directive 2011/65/EU)

## Approvals and operating permits

cURus approval

# Cable entry plate plastic customer-specific Type KDP/S-Z

## Classification

ETIM 9: EC002624
ECLASS 14: 27182815
UNSPSC 26.0801: 39121312

## General information

Made in Germany

Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.
A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.
All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.
They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.
Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.
Murrplastik accepts no liability for damage caused as a result of using our products.
Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.
Our General Terms and Conditions apply.