


R-Tec Liner



Product information

With the R-Tec Liner, Murrplastik has succeeded in creating a new linear system for the optimum guidance of energy packages from axis 3 to axis 6 on industrial robots. In the specially manufactured aluminium housing with the integrated and patented spring return system, the energy package is guided effectively and with low wear.

- extremely strong aluminium housing
- the system can be installed without base plate on selected robots
- Compact design
- highest holding times
- quick and easy replacement of the dresspack
- closed system; the guidance system is protected from ingress of dirt
- preferred for conduit harnesses from axis 1-6




Information, conformities and approvals



Article	Order No.	Color	Stroke mm	Suitable for EW-PAE	Suitable for EWX-PAE	PU pcs.
R-Tec Liner 400mm EW 36 - 140N 1)	83693060	Black	400	M40/P36		1
R-Tec Liner 400mm EWX 36 - 140N 1)	83693062	Black	400		M40/P36	1
R-Tec Liner 400mm EW 48 - 140N 1)	83693064	Black	400	M50/P48		1
R-Tec Liner 400mm EWX 48 - 140N 1)	83693066	Black	400		M50/P48	1
R-Tec Liner 350mm EW/ EWX 56 - 200N 2)	83693076	Black	350	NW 56	56 Jumbo	1
R-Tec Liner 550mm EW/ EWX 56 - 200N 2)	83693078	Black	550	NW 56	56 Jumbo	1
R-Tec Liner 350mm EW/ EWX 70 - 200N 2)	83693080	Black	350	NW 70	70 Jumbo	1
R-Tec Liner 550mm EW/ EWX 70 - 200N 2)	83693082	Black	550	NW 70	70 Jumbo	1
R-Tec Liner 350mm EW/ EWX 80 - 200N 2)	83693084	Black	350	NW 80	80 Jumbo	1
R-Tec Liner 350mm EW/ EWX 80 - 350N 2)	83693085	Black	350	NW 80	80 Jumbo	1
R-Tec Liner 550mm EW/ EWX 80 - 200N 2)	83693086	Black	550	NW 80	80 Jumbo	1
R-Tec Liner 550mm EW/ EWX 80 - 350N 2)	83693087	Black	550	NW 80	80 Jumbo	1

R-Tec Liner

Article	Order No.	Color	Stroke mm	Suitable for EW-PAE	Suitable for EWX-PAE	PU pcs.
R-Tec Liner 350mm EW/ EWX 95 - 200N 2)	83693088	Black	350	NW 95	95 Jumbo	1
R-Tec Liner 350mm EW/ EWX 95 - 350N 2)	83693089	Black	350	NW 95	95 Jumbo	1
R-Tec Liner 550mm EW/ EWX 95 - 200N 2)	83693090	Black	550	NW 95	95 Jumbo	1
R-Tec Liner 550mm EW/ EWX 95 - 350N 2)	83693091	Black	550	NW 95	95 Jumbo	1
1) System plates of R-Tec Box 36/48 suitable for R-Tec Liner 36/48 2) System plates of R-Tec Box 56/70 will fit R-TecLiner 56/70 as well as R-TecLiner 80/95						
1) System plates of R-Tec Box 36/48 suitable for R-Tec Liner 36/48 2) System plates of R-Tec Box 56/70 will fit R-TecLiner 56/70 as well as R-TecLiner 80/95						



Article	Order No.	A mm	A1 mm	B mm	C mm
R-Tec Liner 400mm EWX 36 - 140N 1)	83693062	127	177	125	655
R-Tec Liner 400mm EW 48 - 140N 1)	83693064	127	177	125	655
R-Tec Liner 400mm EWX 48 - 140N 1)	83693066	127	177	125	655
R-Tec Liner 350mm EW/EWX 56 - 200N 2)	83693076	150	195	150	655
R-Tec Liner 550mm EW/EWX 56 - 200N 2)	83693078	150	195	150	855
R-Tec Liner 350mm EW/EWX 70 - 200N 2)	83693080	150	195	150	655
R-Tec Liner 550mm EW/EWX 70 - 200N 2)	83693082	150	195	150	855
R-Tec Liner 350mm EW/EWX 80 - 200N 2)	83693084	175	215	185	655
R-Tec Liner 350mm EW/EWX 80 - 350N 2)	83693085	175	215	185	655
R-Tec Liner 550mm EW/EWX 80 - 200N 2)	83693086	175	215	185	855
R-Tec Liner 550mm EW/EWX 80 - 350N 2)	83693087	175	215	185	655
R-Tec Liner 350mm EW/EWX 95 - 200N 2)	83693088	175	215	185	655
R-Tec Liner 350mm EW/EWX 95 - 350N 2)	83693089	175	215	185	655

R-Tec Liner

Article	Order No.	A mm	A1 mm	B mm	C mm
R-Tec Liner 550mm EW/EWX 95 - 200N 2)	83693090	175	215	185	855
R-Tec Liner 550mm EW/EWX 95 - 350N 2)	83693091	175	215	185	655

1) System plates of R-Tec Box 36/48 suitable for R-Tec Liner 36/48
2) System plates of R-Tec Box 56/70 will fit R-TecLiner 56/70 as well as R-TecLiner 80/95

Material properties



Aluminium
mod. polypropylene

Thermal properties



Temperature / temperature range
-40 °C - 140 °C / short term: 160 °C

Fire properties



Fire classification
acc. to UL94: V2

Technical information



Halogen-free



Silicone-free

Conformity



RoHS (EC Directive 2011/65/EU)

Approvals and operating permits



ROBI approval

Classification

ETIM 9: EC010745
ECLASS 14: 27439090
UNSPSC 26.0801: 40141764

R-Tec Liner

General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.
A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.
All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.
They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.
Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.
Murrplastik accepts no liability for damage caused as a result of using our products.
Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.
Our General Terms and Conditions apply.