




## ALU Rectangular with radius, 4x oblong hole





### Product information


The ALU labeling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

### Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
<b>Corner radius 2 mm; with adhesive foil</b>								
ALU 12x40 R2 HF, 4x (3x5MM) 1)	8604146010	Silver anodized	12 x 40	4x (3,0x5,0)	1	125	J96	125
ALU° 60x12 R2 HF, 4x (4x2,0MM) 1)	8604144002	Silver anodized	60 x 12	4x (2,0x4,0)	1	80	218	80
<b>Corner radius 1.5 mm; with adhesive foil</b>								
ALU 60x17 R1,5 HF, 4x (7x3MM) 1)	8604146011	Silver anodized	60 x 17	4x (7,0x3,0)	1	55	J98	55
1) Other sizes available on request								
1) Other sizes available on request								





## ALU Rectangular with radius, 4x oblong hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 12x40 R2 HF, 4x (3x5MM) 1)	8604146010	6	30	3	5	9	35
ALU° 60x12 R2 HF, 4x (4x2,0MM) 1)	8604144002	52	6	4	3	56	9
<b>Corner radius 1.5 mm; with adhesive foil</b>							
ALU 60x17 R1,5 HF, 4x (7x3MM) 1)	8604146011	45	10	7.5	3.5	52.5	13.5

1) Other sizes available on request

### Material properties



Aluminium anodised (ALU)

### Adhesive properties



467SK adhesive film with adhesive

### Thermal properties



Temperature / temperature range

-40 °C - 140 °C

### Fire properties



Fire classification

V0

### Classification

ETIM 9: EC001530  
ECLASS 14: –  
UNSPSC 26.0801: 39131504

### General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0



## ALU Rectangular with radius, 4x oblong hole

### Assembly method



Adhesive system



Screw system

### Labelling technology



Engraving