



KPX terminal block label



Product information

KPX - for terminal manufacturers Phoenix, ABB Entelec, Murrelektronik, Siemens and Wago.

High-quality, halogen-free snap-in label plates. Labels available for mounting individually or in strips.

The large printable area at the top allows room for individual project and terminal block reference, dispensing with the need for additional organisational systems.

Label plates designated as "5 - 6 mm-pitch strips" can be adapted to terminal block widths of 5 mm or 6 mm by means of an extension spring joint.

Label plates designated as "Universal strip" can be used on various different terminal block widths.

The 6/180 labeling strips can be printed with a laser printer set up for the required terminal block width.

Information, conformities and approvals



Article	Order No.	Color	RAL similar	Label size * mm	Sheet size Length x Width mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
Single labels											
KPX 4/10	86401224	White	9016	4 x 10		4 x 10	5 / 1	64	GP4	97	1024
KPU 5/10	86401231	White	9016	5 x 10		5 x 10	5 / 1	72	GP4	42E	1008
KPX 6/10	86401214	White	9016	6 x 10		6 x 10	5 / 1	64	GP4	40	1024
KPX 6/15	86401218	White	9016	6 x 15		6 x 15	8 / 1	64	GP4	41	1024
KPX 7/10	86401255	White	9016	7 x 10		7 x 10	5 / 2	52	GP4	539	676
3.5 mm pitch strips in a row											
KPX 3.5/10-3.5	86401225	White	9016	3.5 x 10		3.5 x 10	5 / 1	120	GP4	486	1800
4 mm pitch strips in a row											
KPX 4/10-4	86401226	White	9016	4 x 10		4 x 10	5 / 1	100	GP4	98	1400
5 mm pitch strips in a row											
KPX 5/10-5	86401210	White	9016	5 x 10		5 x 10	5 / 1	88	GP4 Single tree adapter 4	42	1408



KPX terminal block label

Article	Order No.	Color	RAL similar	Label size * mm	Sheet size Length x Width mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
KPX 5/10-5	86401211	Yellow	1018	5 x 10		5 x 10	5 / 1	88	GP4 Single tree adapter 4	42G	1408
KPX 5/15-5	86401212	White	9016	5 x 15		5 x 15	8 / 1	88	GP4	43	1408
10 mm pitch strips in a row											
	86401258	White	9016	10 x 10	10 x 10	10 x 10	5 / 2	44	GP4	41A	528
5.2 mm pitch strips in a row											
KPX 5/10-5.2	86401208	White	9016	5 x 10		5 x 10	5 / 1	84	GP4	279	1008
KPX 5/10-5.2	86401209	Yellow	1018	5 x 10		5 x 10	5 / 1	84	GP4	289	1008
KPX 5/15-5.2	86401213	White	9016	5 x 15		5 x 15	8 / 1	84	GP4	311	1008
8.2 mm grid strips in a row											
	86401256	White	9016	8 x 10	10 x 8	8 x 10	5 / 2	52	GP4	48A	520
5 - 6 mm pitch strips											
KPX 5/10-5...6	86401242	White	9016	5 x 10		5 x 10	5 / 1	88	GP4	42U	1408
6 mm pitch strips in a row											
KPX 6/10-6	86401216	White	9016	6 x 10		6 x 10	5 / 1	72	GP4	44	1008
KPX 6/15-6	86401220	White	9016	6 x 15		6 x 15	8 / 1	72	GP4	45	1008
6.2 mm pitch strips in a row											
KPX 6/10-6.2	86401217	White	9016	6 x 10		6 x 10	5 / 1	68	GP4	308	1020
KPX 6/15-6.2	86401219	White	9016	6 x 15		6 x 15	8 / 1	68	GP4	309	1020
6.8 mm pitch strips in a row											
KPX 6/10-6.8	86401222	White	9016	6 x 10		6 x 10	5 / 1	64	GP4	46	1024
3.5 mm pitch strips in a row, flat foot (ZS)											
KPX 3.5/5-3.5 ZS	86401223	White	9016	3.5 x 5		3.5 x 5	2 / 1	150	GP5 Single tree adapter 5	416	3000
4.2 mm pitch strips in a row, flat foot (ZS)											
KPX 4.2/5-4.2 ZS	86401248	White	9016	4.2 x 5		4.2 x 5	2 / 1	125	GP5 Single tree adapter 5	47Z	2500



KPX terminal block label

Article	Order No.	Color	RAL similar	Label size * mm	Sheet size Length x Width mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
5 mm pitch strips in a row, flat foot (ZS)											
KPX 5/7.5-5 ZS	86401254	White	9016	5 x 7.5		5 x 7.5	4 / 1	88	GP4	49Z	1408
KPX 5/10-5 ZS	86401234	White	9016	5 x 10		5 x 10	5 / 1	88	GP4	43Z	1408
5 mm grid strips in a row, flat foot (ZS), long mat version											
KPX 5/5-5 L ZS	86401229	White	9016	5 x 5		5 x 5	2 / 1	105	GP5 Single tree adapter 5	561	1680
5 - 6 mm pitch strips in a row, flat foot (ZS)											
KPX 5/10-5...6 ZS	86401244	White	9016	5 x 10		5 x 10	5 / 1	88	GP4	43U	1408
6 mm pitch strips in a row, flat foot (ZS)											
KPX 6/5-6 ZS	86401228	White	9016	5 x 6		5 x 6	3 / 1	90	GP5 Single tree adapter 5	44Z	2070
KPX 6/10-6 ZS	86401236	White	9016	6 x 10		6 x 10	5 / 1	72	GP4	45Z	1008
Single labels, flat foot (ZS)											
KPX 8.2/5 ZS	86401252	White	9016	8.2 x 5		8.2 x 5	2 / 2	65	GP5 Single tree adapter 5	48Z	1040
KPX 10/5 ZS	86401246	White	9016	10 x 5		10 x 5	2 / 2	55	GP5	41Z	1320
12 mm pitch strips in a row, flat foot (ZS)											
KPX 12/5-12 ZS	86401240	White	9016	5 x 12		5 x 12	6 / 1	45	GP5 Single tree adapter 5	46Z	1080
Universal strips, divisible (maximum length 104 mm, minimum length 4.2 mm), flat foot (ZS)											
KPX U/5 ZS	86401230	White	9016	5 x 104		5 x 104	57 / 1	100	GP5 Single tree adapter 5	180	2000

Material properties



Polycarbonate (PC)

Thermal properties



Temperature / temperature range

-40 °C - 130 °C



KPX terminal block label

Fire properties



Fire classification

V0

Technical information



Halogen-free

Classification

ETIM 9: EC000761
ECLASS 14: 27281101
UNSPSC 26.0801: 39131504

General technical data



Assembly method

0000000011000

Assembly method



Snap-fit system



Strip system

Labelling technology



Plotter



Laser



Laser printer



Inkjet