



DM Rectangular with radius, 2x hole



Product information

- Duomatt is a double-layer material with an UV resistant colored outer layer for marking with a Murrplastik engraving or plotter system.
- Available in various color combinations
- Three different carrier materials available
- Different geometries and holes
- UV resistant outer layer
- Material thickness 0.8 mm or 1.5 mm
- Other sizes available on request

Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Corner radius 2 mm; with adhesive foil								
DM 12x45 R2 HF, 2x2.5MM 1)	8601126016	White / Black	12 x 45	2x 2.5	1.5	84	05	84
DM 13x35 R2 HF, 2x3.0MM 1)	8601126023	Yellow / Black	13 x 35	2x 3.0	1	95	26	95
DM 14x45 R2 HF, 2x3.0MM 1)	8601126003	White / Black	14 x 45	2x 3.0	0.8	72	940	72
DM 14x45 R2 HF, 2x3.0MM 1)	8601426003	White / Black	14 x 45	2x 3.0	1.5	80	K20	80
DM 14x45 R2 HF, 2x3.0MM 1)	8601426004	White / Black	14 x 45	2x 3.0	1.5	80	K20	112
DM 19x45 R2 HF, 2x2.0MM 1)	8601126005	Siemens silver / Black	19 x 45	2x 2.0	0.8	56	035	56
DM 20x60 R2 HF, 2x2.0MM 1)	8601126024	Red / White	20 x 60	2x 2.0	0.8	39	8X	39
DM 20x80 R2 HF, 2x3.0MM 1)	8601126013	Silver / Black	20 x 80	2x 3.0	1.5	26	412	26
DM 22x59 R2 HF, 2x5.5MM 1)	8601426011	White / Black	22 x 59	2x 5.5	1.5	39	M56	39
DM 26x59 R2 HF, 2x5.5MM 1)	8601426012	White / Black	26 x 59	2x 5.5	1.5	33	M57	33
DM 26x62 R2 HF, 2x5.5MM	8601426013	White / Black	26 x 62	2x 5.5	1.5	33	M58	33



DM Rectangular with radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
DM 27x12 R2 HF, 2x3,0MM 1)	8601126001	White / Black	27 x 12	2x 3.0	0.8	130	379	130
DM 30x15 R2 HF, 2x3,0MM 1)	8601126000	White / Black	30 x 15	2x 3.0	0.8	99	30A	99
DM 30x15 R2 HF, 2x4,0MM 1)	8601126018	Siemens silver / Black	30 x 15	2x 4.0	1.5	99	139	99
DM 30x22 R2 HF, 2x3,0MM 1)	8601126011	Siemens silver / Black	30 x 22	2x 3.0	1.5	63	869	63
DM 35x8 R2 HF, 2x2,5MM 1)	8601426009	White / Black	35 x 8	2x 2.5	1.5	176	M25	176
DM 36x10 R2 HF, 2x2,5MM 1)	8601126012	White / Black	36 x 10	2x 2.5	1.5	105	927	105
DM 36x13 R2 HF, 2x3,2MM 1)	8601126009	Yellow / Black	36 x 13	2x 3.2	1.5	84	788	84
DM 40x15 R2 HF, 2x3,0MM 1)	8601126010	White / Black	40 x 15	2x 3.0	0.8	77	807	77
DM 40x15 R2 HF, 2x3,0MM 1)	8601126026	White / Black	40 x 15	2x 3.0	1.5	77	178	77
DM 50x15 R2 HF, 2x2,8MM 1)	8601426001	White / Black	50 x 15	2x 2.8	1.5	60	J95	60
DM 50x50 R2 HF, 2x3,0MM 1)	8601126021	White / Black	50 x 50	2x 3.0	1.5	15	650	15
DM 63x26 R2 HF, 2x5,5MM 1)	8601426014	White / Black	63 x 26	2x 5.5	1.5	28	M59	28
DM 70x30 R2 HF, 2x3,0MM 1)	8601426008	White / Black	70 x 30	2x 3.0	1.5	24	L75	24
DM 95x20 R2 HF, 2x3,5MM 1)	8601426010	Siemens silver / Black	95 x 20	2x 3.5	1.5	27	M52	27
DM 95x20 R2 HF, 2x3,5MM 1)	8601426002	Silver / Black	95 x 20	2x 3.5	0.8	27	J97	27
DM 9x28 R2 HF, 2x2,5MM 1)	8601126025	White / Black	9 x 28	2x 2.5	0.8	156	G34	156
DM 27x15 R2 HF, 2x3,2MM 1)	8601126006	White / Black	27 x 15	2x 3.2	0.8	110	B25	110
Corner radius 2.5 mm; with adhesive foil								
DM 15x30 R2,5 HF, 2x3,2MM 1)	8601426007	Siemens silver / Black	15 x 30	2x 3.2	1.5	114	L27	114
DM 15x80 R2,5 HF, 2x3,2MM 1)	8601426006	Siemens silver / Black	15 x 80	2x 3.2	1.5	38	L26	38
DM 50x15 R2,5 HF, 2x3,2MM 1)	8601426005	Siemens silver / Black	50 x 15	2x 3.2	1.5	60	L25	60
Corner radius 2 mm; with self-adhesive foil								




DM Rectangular with radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
DM 20x35 R2 SK, 2x3.2MM 1)	8601120018	White / Black	20 x 35	2x 3.2	0.8	65	649	65
DM 20x60 R2 SK, 2x2.2MM 1)	8601120021	Siemens silver / Black	20 x 60	2x 2.2	0.8	39	50	39
DM 25x10 R2 SK, 2x2.2MM 1)	8601120007	Silver / Black	25 x 10	2x 2.2	0.8	150	A11	150
DM 25x60 R2 SK, 2x2.8MM 1)	8601120024	White / Black	25 x 60	2x 2.8	0.8	30	967	30
DM 26x74 R3 SK, 2x3.0MM 1)	8601120030	White / Black	26 x 74	2x 3.0	1.5	20	6U	20
DM 27x12.5 R2 SK, 2x2.0MM 1)	8601120023	Yellow / Black	27 x 12.5	2x 2.0	0.8	120	942	120
DM 27x15 R2 SK, 2x3.2MM 1)	8601120012	Silver / Black	27 x 15	2x 3.2	0.8	110	451	110
DM 27x15 R2 SK, 2x3.2MM 1)	8601120010	White / Black	27 x 15	2x 3.2	0.8	110	B26	110
DM 27x18.5 R2 SK, 2x2.5MM 1)	8601120015	Silver / Black	27 x 18.5	2x 2.5	0.8	90	192	90
DM 290x30 R2 SK, 2x3.0MM 1)	8601120029	Silver / Black	290 x 30	2x 3.0	0.8	5	6K	5
DM 30x15 R2 SK, 2x3.0MM 1)	8601120003	Siemens silver / Black	30 x 15	2x 3.0	0.8	99	499	99
DM 30x15 R2.5 SK, 2x3.2MM 1)	8601120032	Siemens silver / Black	30 x 15	2x 3.2	1.5	99	H58	99
DM 30x8 R2 SK, 2x2.4MM 1)	8601120020	Black / White	30 x 8	2x 2.4	0.8	162	696	162
DM 37x13 R2 SK, 2x2.2MM 1)	8601120022	Siemens silver / Black	37 x 13	2x 2.2	0.8	84	785	84
DM 40x10 R2 SK, 2x4.0MM 1)	8601120025	White / Black	40 x 10	2x 4.0	0.8	105	408	105
DM 40x40 R3 SK, 2x3.0MM 1)	8601120028	Gray / Black	40 x 40	2x 3.0	0.8	28	135	28
DM 50x12 R2 SK, 2x3.0MM 1)	8601120026	Siemens silver / Black	50 x 12	2x 3.0	0.8	65	1F	65
DM 50x25 R2 SK, 2x3.0MM 1)	8601120016	Silver / Black	50 x 25	2x 3.0	0.8	30	601	30
DM 50x25 R2.5 SK, 2x3.2MM 1)	8601120033	Siemens silver / Black	50 x 25	2x 3.2	1.5	30	H59	30
DM 70x45 R2.5 SK, 2x3.2MM 1)	8601120031	Siemens silver / Black	70 x 45	2x 3.2	1.5	16	G24	16
DM 8.9x35 R2 SK, 2x2.8MM 1)	8601120019	Yellow / Black	8.9 x 35	2x 2.8	0.8	155	661	135
DM 9x28 R2 SK, 2x2.0MM 1)	8601120009	Silver / Black	9 x 28	2x 2.0	0.8	156	434	156



DM Rectangular with radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
DM 30x15 R2 SK, 2x3.0MM 1)	8601120004	Silver / Black	30 x 15	2x 3.0	0.8	99	30C	99
DM 50x20 R2 SK, 2x2.0MM 1)	8601120000	Silver / Black	50 x 20	2x 2.0	0.8	40	R48	40
DM 50x20 R2 SK, 2x3.5MM 1)	8601120001	White / Black	50 x 20	2x 3.5	1.5	40	B3A	40
DM 70x35 R2 SK, 2x3.0MM 1)	8601120008	White / Black	70 x 35	2x 3.0	0.8	20	RJ7	20
Corner radius 3 mm; with adhesive foil								
DM 20x60 R3 HF, 2x5.0MM 1)	8601146014	White / Black	20 x 60	2x 5.0	1.5	39	20	39
Corner radius 7.5 mm; with adhesive foil								
DM 50x15 R7,5 HF, 2x2,8MM 1)	8601126022	White / Black	50 x 15	2x 2.8	1.5	55	805	55
1) Other sizes available on request								
1) Other sizes available on request								



Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
DM 12x45 R2 HF, 2x2.5MM 1)	8601126016		39	6	3		42
DM 13x35 R2 HF, 2x3.0MM 1)	8601126023		25	6.5	5		30
DM 14x45 R2 HF, 2x3.0MM 1)	8601126003	38		3.5	7	41.5	
DM 14x45 R2 HF, 2x3.0MM 1)	8601426003		39	7	3		42
DM 14x45 R2 HF, 2x3.0MM 1)	8601426004		39	5	3		42
DM 19x45 R2 HF, 2x2.0MM 1)	8601126005		39	9.5	3		42
DM 20x60 R2 HF, 2x2.0MM 1)	8601126024		54	10	3		57
DM 20x80 R2 HF, 2x3.0MM 1)	8601126013		74	10	3		77



DM Rectangular with radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
DM 22x59 R2 HF, 2x5,5MM 1)	8601426011		48	11	5.5		53.5
DM 26x59 R2 HF, 2x5,5MM 1)	8601426012		48	13	5.5		53.5
DM 26x62 R2 HF, 2x5,5MM 1)	8601426013		50	13	6		56
DM 27x12 R2 HF, 2x3,0MM 1)	8601126001	21		3	6	24	
DM 30x15 R2 HF, 2x3,0MM 1)	8601126000	24		3	7.5	27	
DM 30x15 R2 HF, 2x4,0MM 1)	8601126018	24		3	7.5	27	
DM 30x22 R2 HF, 2x3,0MM 1)	8601126011	24		3	11	27	
DM 35x8 R2 HF, 2x2,5MM 1)	8601426009	27		4	4	31	
DM 36x10 R2 HF, 2x2,5MM 1)	8601126012	27		4.5	5	31.5	
DM 36x13 R2 HF, 2x3,2MM 1)	8601126009	29		3.5	6.5	32.5	
DM 40x15 R2 HF, 2x3,0MM 1)	8601126010	32		4	5	36	
DM 40x15 R2 HF, 2x3,0MM 1)	8601126026	32		4	10	36	
DM 50x15 R2 HF, 2x2,8MM 1)	8601426001	41.6		4.2	7.5	45.8	
DM 50x50 R2 HF, 2x3,0MM 1)	8601126021	43		3.5	25	46.5	
DM 63x26 R2 HF, 2x5,5MM 1)	8601426014	52		5.5	13	57.5	
DM 70x30 R2 HF, 2x3,0MM 1)	8601426008	61		4.5	15	65.5	
DM 95x20 R2 HF, 2x3,5MM 1)	8601426010	84.5		5.25	10	89.75	
DM 95x20 R2 HF, 2x3,5MM 1)	8601426002	84.5		5.25	10	89.75	
DM 9x28 R2 HF, 2x2,5MM 1)	8601126025		22	4.5	3		25
DM 27x15 R2 HF, 2x3.2MM 1)	8601126006	21		3	7.5	24	
Corner radius 2.5 mm; with adhesive foil							
DM 15x30 R2,5 HF, 2x3,2MM 1)	8601426007		20.4	7.5	4.8		25.2
DM 15x80 R2,5 HF, 2x3,2MM 1)	8601426006		70.4	7.5	4.8		75.2
DM 50x15 R2,5 HF, 2x3,2MM 1)	8601426005	40.4		4.8	7.5	45.2	
Corner radius 2 mm; with self-adhesive foil							



DM Rectangular with radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
DM 20x35 R2 SK, 2x3.2MM 1)	8601120018		27	10	4		31
DM 20x60 R2 SK, 2x2.2MM 1)	8601120021		54	10	3		57
DM 25x10 R2 SK, 2x2.2MM 1)	8601120007	19		3	5	22	
DM 25x60 R2 SK, 2x2.8MM 1)	8601120024		52	12.5	4		56
DM 26x74 R3 SK, 2x3.0MM 1)	8601120030		65	13	4.5		69.5
DM 27x12.5 R2 SK, 2x2.0MM 1)	8601120023	22		2.5	6.25	24.5	
DM 27x15 R2 SK, 2x3.2MM 1)	8601120012	21		3	7.5	24	
DM 27x15 R2 SK, 2x3.2MM 1)	8601120010	21		3	7.5	24	
DM 27x18.5 R2 SK, 2x2.5MM 1)	8601120015	21		3	9.25	24	
DM 290x30 R2 SK, 2x3.0MM 1)	8601120029	283		3.5	15	286.5	
DM 30x15 R2 SK, 2x3.0MM 1)	8601120003	24		3	7.5	27	
DM 30x15 R2.5 SK, 2x3.2MM 1)	8601120032	24		3	7.5	27	
DM 30x8 R2 SK, 2x2.4MM 1)	8601120020	24		3	4	27	
DM 37x13 R2 SK, 2x2.2MM 1)	8601120022	29		4	6.5	33	
DM 40x10 R2 SK, 2x4.0MM 1)	8601120025	32		4	5	36	
DM 40x40 R3 SK, 2x3.0MM 1)	8601120028	34		3	20	37	
DM 50x12 R2 SK, 2x3.0MM 1)	8601120026	42		4	6	46	
DM 50x25 R2 SK, 2x3.0MM 1)	8601120016	45		2.5	12.5	47.5	
DM 50x25 R2.5 SK, 2x3.2MM 1)	8601120033	44		3	12.5	47	
DM 70x45 R2.5 SK 2x3.2MM 1)	8601120031	64		3	22.5	67	22.5
DM 8.9x35 R2 SK, 2x2.8MM 1)	8601120019		27	4.45	4	4.45	31
DM 9x28 R2 SK, 2x2.0MM 1)	8601120009		22	4.5	3		25
DM 30x15 R2 SK, 2x3.0MM 1)	8601120004	24		3	7.5	27	
DM 50x20 R2 SK, 2x2.0MM 1)	8601120000	44		3	10	47	
DM 50x20 R2 SK, 2x3.5MM 1)	8601120001	43		3.5	10	46.5	



DM Rectangular with radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
DM 70x35 R2 SK, 2x3.0MM 1)	8601120008	61		4.5	17.5	65.5	
Corner radius 3 mm; with adhesive foil							
DM 20x60 R3 HF, 2x5.0MM 1)	8601146014		50	10	5		55
Corner radius 7.5 mm; with adhesive foil							
DM 50x15 R7,5 HF, 2x2,8MM 1)	8601126022	35		7.5	7.5	42.5	

1) Other sizes available on request

Adhesive properties



467
5016SK adhesive film with adhesive
SKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range
-30 °C - 80 °C

Classification

ETIM 9: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data



Assembly method
00000001Label glued into place 0001Mounting the label with screws 0

Assembly method



Adhesive system



Screw system

Labelling technology



Plotter



DM Rectangular with radius, 2x hole

Labelling technology



Engraving
