



Position marker



Product information

Conduit marking for any number of uses in robotics and mechanical engineering applications.
Can be installed in seconds on EW and EWX cable protection conduits.

Information, conformities and approvals



Article	Order No.	Color	A mm	B mm	PU pcs.
Position markers for EW, EW-LS, EWT and EWX					
Position marker - 36 - yellow	83692641	Yellow	32.7	1.75	5
Position marker - 36 - green	83692636	Green	32.7	1.75	5
Position marker - 36 - red	83692646	Red	32.7	1.75	5
Position marker - 48 - yellow	83692642	Yellow	41.2	1.75	5
Position marker - 48 - green	83692637	Green	41.2	1.75	5
Position marker - 48 - red	83692647	Red	41.2	1.75	5
Position marker - 56 - yellow	83692643	Yellow	59.1	1.75	5
Position marker - 56 - green	83692638	Green	59.1	1.75	5
Position marker - 56 - red	83692648	Red	59.1	1.75	5
Position marker - 70 - yellow	83692644	Yellow	70.5	1.75	5
Position marker - 70 - green	83692639	Green	70.5	1.75	5
Position marker - 70 - red	83692649	Red	70.5	1.75	5

Position marker

Article	Order No.	Color	A mm	B mm	PU pcs.
Position marker - 80 - yellow	83692732	Yellow	82.6	1.75	5
Position marker - 80 - green	83692731	Green	82.6	1.75	5
Position marker - 80 - red	83692730	Red	82.6	1.75	5
Position marker - 95 - yellow	83692736	Yellow	95	1.75	5
Position marker - 95 - green	83692735	Green	95	1.75	5
Position marker - 95 - red	83692734	Red	95	1.75	5
Position marker - set 36	83692690	Green / Yellow / Red	32.7	1.75	1
Position marker - set 48	83692692	Green / Yellow / Red	41.2	1.75	1
Position marker - set 56	83692694	Green / Yellow / Red	59.1	1.75	1
Position marker - set 70	83692698	Green / Yellow / Red	70.5	1.75	1
Position marker - set 80	83692733	Green / Yellow / Red	82.6	1.75	1
Position marker - set 95	83692737	Green / Yellow / Red	95	1.75	1

Thermal properties



Temperature / temperature range

-20 °C - 105 °C

Fire properties



Fire classification

acc. to UL94: HB

Technical information



Halogen-free



Silicone-free

Conformity



RoHS (EC Directive 2011/65/EU)

Position marker

Conformity



CE (EU Directive 765/2008)

Approvals and operating permits



ROBI approval

Classification

ETIM 9: EC002383
ECLASS 14: 27140992
