



## Position marker



### Product information

Conduit marking for any number of uses in robotics and mechanical engineering applications.  
Can be installed in seconds on EW and EWX cable protection conduits.

### Information, conformities and approvals



Article	Order No.	Color	A mm	B mm	PU pcs.
<b>Position markers for EW, EW-LS, EWT and EWX</b>					
Position marker - 36 - yellow	83692641	Yellow	32.7	1.75	5
Position marker - 36 - green	83692636	Green	32.7	1.75	5
Position marker - 36 - red	83692646	Red	32.7	1.75	5
Position marker - 48 - yellow	83692642	Yellow	41.2	1.75	5
Position marker - 48 - green	83692637	Green	41.2	1.75	5
Position marker - 48 - red	83692647	Red	41.2	1.75	5
Position marker - 56 - yellow	83692643	Yellow	59.1	1.75	5
Position marker - 56 - green	83692638	Green	59.1	1.75	5
Position marker - 56 - red	83692648	Red	59.1	1.75	5
Position marker - 70 - yellow	83692644	Yellow	70.5	1.75	5
Position marker - 70 - green	83692639	Green	70.5	1.75	5
Position marker - 70 - red	83692649	Red	70.5	1.75	5

## Position marker

Article	Order No.	Color	A mm	B mm	PU pcs.
Position marker - 80 - yellow	83692732	Yellow	82.6	1.75	5
Position marker - 80 - green	83692731	Green	82.6	1.75	5
Position marker - 80 - red	83692730	Red	82.6	1.75	5
Position marker - 95 - yellow	83692736	Yellow	95	1.75	5
Position marker - 95 - green	83692735	Green	95	1.75	5
Position marker - 95 - red	83692734	Red	95	1.75	5
Position marker - set 36	83692690	Green / Yellow / Red	32.7	1.75	1
Position marker - set 48	83692692	Green / Yellow / Red	41.2	1.75	1
Position marker - set 56	83692694	Green / Yellow / Red	59.1	1.75	1
Position marker - set 70	83692698	Green / Yellow / Red	70.5	1.75	1
Position marker - set 80	83692733	Green / Yellow / Red	82.6	1.75	1
Position marker - set 95	83692737	Green / Yellow / Red	95	1.75	1

### Thermal properties



Temperature / temperature range

-20 °C - 105 °C

### Fire properties



Fire classification

acc. to UL94: HB

### Technical information



Halogen-free



Silicone-free

### Conformity



RoHS (EC Directive 2011/65/EU)

---

## Position marker

---

### Conformity



CE (EU Directive 765/2008)

---

### Approvals and operating permits



ROBI approval

---

### Classification

ETIM 9: EC002383  
ECLASS 14: 27140992

---