



Type VT-V




Product information

The T distributors are made of specially modified polyamide 6. The material is halogen, phosphor and cadmium-free. The T distributors are ideal for quick and easy coupling of Murrplastik cable protection conduits. With their split design, simple routing of cables is guaranteed. The VT-V conduit distributors feature the following advantages:

- Flat construction
- Separable
- Half-shells can be screwed together or fastened to the control cabinet individually
- Simple assembly with a sliding lock and optional lock screw assembly
- Low cost connector for cable protection conduits
- High tear-out strength

Information, conformities and approvals



Article	Order No.	Color	UV	For Murrflex with NW1 / NW2 / NW3	A mm	C mm	PU pcs.
VT 323232-V	83702466	Black	✓	29 / 29 / 29	80	85	1
VT 505050-V	83702473	Black	✓	48 / 48 / 48	130	120	1

Material properties



mod. polyamide PA 6

Protection class



Protection class

IP42

Fire properties



Fire classification

acc. to UL94: V0 self-extinguishing



Fire properties as per EN 45545-2

C.I.T. R22 / R23 HL3 :0,58 EN 17084



Type VT-V

Fire properties



Ds (max.) R22 / R23 HL3 :57 ISO 5659-2 (25 KW/m²)
LOI R22 / R23 HL3 :≥ 32 % ISO 4589-2

Fire properties as per NFPA

ASTM E 162
ASTM E 1354
ASTM E 662
Boeing BSS 7239
Boeing BSS 7242
Bombardier SMP 800-C

Chemical resistances



Resistant to:

Weak acids
Lyes
Fuels
Alcohol
Mineral oils

Technical information



Halogen-free

Conformity



RoHS (EC Directive 2011/65/EU)

Classification

ETIM 9: EC001172
ECLASS 14: 27430313
UNSPSC 26.0801: 40172523

General information



Made in Germany