ECP-Premium polyester label





Product information

Polyester label for any labeling purpose. Suitable for use in automotive, electronics industries, logistics, machine and plant construction, as well as in medical technology and in the chemical industry.

- Excellent adhesive properties on many surfaces.
- May also be used on powder coated surfaces
- UL and cUL recognised

Suitable for mp-TM series thermal transfer printers.

Information, conformities and approvals

Article	Order No.	Color	Sheet size mm	Number of columns	Roll width mm	Recommended Colour ribbon	Software Article	PU pcs.
ECP-Premium 11x6	86511100	White						
ECP-Premium labels, white								
ECP-Premium 11x9	86511101	White	11 x 9	5	100	FB-TM 110 mm x 300 m	Q01	10000
ECP-Premium 15x6	86511102	White	15 x 6	5	108	FB-TM 110 mm x 300 m	Q02	10000
ECP-Premium 18x6	86511103	White	18 x 6	4	108	FB-TM 110 mm x 300 m	Q03	10000
ECP-Premium 18x9	86511104	White	18 x 9	4	108	FB-TM 110 mm x 300 m	Q04	10000
ECP-Premium 20x8	86511114	White	20 x 8	4	108	FB-TM 110 mm x 300 m	Q12	10000
ECP-Premium 27x12.5	86511105	White	27 x 12.5	3	108	FB-TM 110 mm x 300 m	Q05	5000
ECP-Premium 27x27	86511107	White	27 x 27	3	108	FB-TM 110 mm x 300 m	Q07	2500
ECP-Premium 60x40	86511111	White	60 x 40	1	64	FB-TM 110 mm x 300 m	Q09	1500
ECP-Premium 90x60	86511112	White	90 x 60	1	94	FB-TM 110 mm x 300 m	Q10	1500
ECP-Premium 100x150	86511113	White	100 x 150	1	104	FB-TM 110 mm x 300 m	Q11	500
ECP-Premium labels, silver								

ECP-Premium polyester label

Article	Order No.	Color	Sheet size mm	Number of columns	Roll width mm	Recommended Colour ribbon	Software Article	PU pcs.
ECP-Premium 11x6	86511200	Silver	11 x 6	5	100	FB-TM 110 mm x 300 m	Q26	10000
ECP-Premium 11x9	86511201	Silver	11 x 9	5	100	FB-TM 110 mm x 300 m	Q27	10000
ECP-Premium 17x40	86511221	Silver	40 x 17	3	63	FB-TM 110 mm x 300 m	QN6	5000
ECP-Premium 18x9	86511204	Silver	18 x 9	4	108	FB-TM 110 mm x 300 m	Q30	10000
ECP-Premium 27x12.5	86511205	Silver	27 x 12.5	3	108	FB-TM 110 mm x 300 m	Q31	5000
ECP-Premium 27x17.5	86511206	Silver	27 x 17.5	3	108	FB-TM 110 mm x 300 m	Q32	5000
ECP-Premium 27x86	86511218	Silver	86 x 27	3	93	FB-TM 110 mm x 300 m	QN3	2700
ECP-Premium 45x110	86511223	Silver	45 x 110	2	98	FB-TM 110 mm x 300 m	QN8	1400
ECP-Premium 54x250	86511217	Silver	54 x 250	1	58	FB-TM 110 mm x 300 m	QN2	300
ECP-Premium 60x40	86511211	Silver	60 x 40	1	64	FB-TM 110 mm x 300 m	Q35	1500
ECP-Premium 90x60	86511212	Silver	90 x 60	1	94	FB-TM 110 mm x 300 m	Q36	1500
ECP-Premium 100x150	86511213	Silver	100 x 150	1	104	FB-TM 110 mm x 300 m	Q37	500
ECP-Premium labels, yellow								
ECP-Premium 11x6	86511000	Yellow	11 x 6	5	100	FB-TM 110 mm x 300 m	Q13	10000
ECP-Premium 11x9	86511001	Yellow	11 x 9	5	100	FB-TM 110 mm x 300 m	Q14	10000
ECP-Premium 15x6	86511002	Yellow	15 x 6	5	108	FB-TM 110 mm x 300 m	Q15	10000
ECP-Premium 18x6	86511003	Yellow	18 x 6	4	108	FB-TM 110 mm x 300 m	Q16	10000
ECP-Premium 18x9	86511004	Yellow	18 x 9	4	108	FB-TM 110 mm x 300 m	Q17	10000
ECP-Premium 20x8	86511014	Yellow	20 x 8	4	108	FB-TM 110 mm x 300 m	Q25	10000
ECP-Premium 21x150	86511015	Yellow	21 x 150	4	94	FB-TM 110 mm x 300 m	Q02	500
ECP-Premium 22x22	86511008	Yellow	22 x 22	4	108	FB-TM 110 mm x 300 m	Q21	2500
ECP-Premium 27x12.5	86511005	Yellow	27 x 12.5	3	108	FB-TM 110 mm x 300 m	Q18	5000
ECP-Premium 27x17.5	86511006	Yellow	27 x 17.5	3	108	FB-TM 110 mm x 300 m	Q19	5000
ECP-Premium 27x27	86511007	Yellow	27 x 27	3	108	FB-TM 110 mm x 300 m	Q20	2500
ECP-Premium 60x40	86511011	Yellow	60 x 40	1	64	FB-TM 110 mm x 300 m	Q22	1500

ECP-Premium polyester label

Article	Order No.	Color	Sheet size mm	Number of columns	Roll width mm	Recommended Colour ribbon	Software Article	PU pcs.
ECP-Premium 90x60	86511012	Yellow	90 x 60	1	94	FB-TM 110 mm x 300 m	Q23	1500

Material properties

Polyester film

Adhesive properties

Modified acrylate adhesive;Minimum processing temperature of 5 °C

Thermal properties

Temperature / temperature range

-40 °C – 150 °C

Classification

ETIM 10: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data

Self-extinguishing after 15 seconds. Non-drip.

Self-extinguishing after 15 seconds. Non-drip.

Labelling technology

Thermal transfer