


Robotics kit UNI



Product information

Sets specially adapted to the cable routing on cobots and small robots. The robot kit UNI offers the possibility of professional cable routing on almost all models. The assembly includes the protective conduit, end sleeves and the appropriate fastening with non-slip hook-and-loop tape. Hook-and-loop tapes in four different lengths are included for each fixing point, from which the appropriate one can be selected. For an easier installation of pre-assembled cables, the protective conduit in slit version is included in the FHS-C set UNI-LS.

Advantages:

- low interference contour
- tool-free installation
- secure hold, even on conical surfaces
- quick routing adjustment is possible during implementation

Information, conformities and approvals



Article	Order No.	Color	Corrugated conduit	Corrugated conduit size	Corrugated conduit length m	Type	Diameter inside mm	Diameter outside mm	Length of hook-and-loop tape mm	PU pcs.
FHS-C-SET UNI 1**)	83693525	Black / Red	EWX-PP	M32/P29	4	Closed	22.6	34.3	350 - 750	1
FHS-C-SET UNI-LS 2**)	83693526	Black / Red	EWX-PP-LS	M32/P29	4	slit	22.6	34.2	350 - 750	1

1**) Set consists of: 4m EWX-PP M32/P29, 5x FHS-C set incl. 20x hook-and-loop tape, 2x end grommets

2**) Set consists of: 4m EWX-PP-LS M32/P29, 5x FHS-C set incl. 20x hook-and-loop tape, 2x end grommets, 1x wire insertion tool

1**) Set consists of: 4m EWX-PP M32/P29, 5x FHS-C set incl. 20x hook-and-loop tape, 2x end grommets

2**) Set consists of: 4m EWX-PP-LS M32/P29, 5x FHS-C set incl. 20x hook-and-loop tape, 2x end grommets, 1x wire insertion tool

Material properties



Polypropylene (PP)
Thermoplastic elastomer
mod. polyamide

Approvals and operating permits



ROBI approval

Robotics kit UNI

Classification

ETIM 9: EC010745
ECLASS 14: 27439090

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.