
Cable entry grommet type KDT/ZE





Product information

2-piece cable entry grommet for pre-assembled cables in connection with cable entry system KDL/E

Pre-assembled cables can be easily inserted or fed through e.g. in control cabinets.
The grommets are retrofitted around the cable.
The grommets are equipped with catch hooks that anchor themselves in the KDL/E when installed
Strain relief can be realized with a simple cable tie

UL and CSA listed
Thermal stability: -40 °C – +80 °C
Fire classification: HB
Material: Thermoplastic rubber
RoHS compliant
UV resistant
Made in Germany

Information, conformities and approvals

Article	Order No.	Color	for Ø mm	For opening small / large	No. of openings	Flexa-T old Conduit	PU pcs.
Grommet, small							
KDT/ZE 03	87121210	Black	3 - 4	yes / no	1		10
KDT/ZE 04	87121212	Black	4 - 5	yes / no	1		10
KDT/ZE 05	87121214	Black	5 - 6	yes / no	1		10
KDT/ZE 06	87121216	Black	6 - 7	yes / no	1		10
KDT/ZE 07	87121218	Black	7 - 8	yes / no	1		10
KDT/ZE 08	87121220	Black	8 - 9	yes / no	1		10
KDT/ZE 09	87121222	Black	9 - 10	yes / no	1		10
KDT/ZE 10	87121224	Black	10 - 11	yes / no	1		10
KDT/ZE 11	87121226	Black	11 - 12	yes / no	1		10
KDT/ZE 12	87121228	Black	12 - 13	yes / no	1		10

Cable entry grommet type KDT/ZE

Article	Order No.	Color	for Ø mm	For opening small / large	No. of openings	Flexa-T old Conduit	PU pcs.
KDT/ZE 13	87121230	Black	13 - 14	yes / no	1		10
KDT/ZE 14	87121232	Black	14 - 15	yes / no	1		10
KDT/ZE 15	87121234	Black	15 - 16	yes / no	1		10
Grommet, large							
KDT/ZE 16	87121236	Black	16 - 17	no / yes	1		10
KDT/ZE 17	87121238	Black	17 - 18	no / yes	1		10
KDT/ZE 18	87121240	Black	18 - 19	no / yes	1		10
KDT/ZE 19	87121242	Black	19 - 20	no / yes	1		10
KDT/ZE 20	87121244	Black	20 - 21	no / yes	1		10
KDT/ZE 21	87121246	Black	21 - 22	no / yes	1		10
KDT/ZE 22	87121248	Black	22 - 23	no / yes	1		10
KDT/ZE 23	87121250	Black	23 - 24	no / yes	1		10
KDT/ZE 24	87121252	Black	24 - 25	no / yes	1		10
KDT/ZE 25	87121254	Black	25 - 26	no / yes	1		10
KDT/ZE 26	87121256	Black	26 - 27	no / yes	1		10
KDT/ZE 27	87121258	Black	27 - 28	no / yes	1		10
KDT/ZE 28	87121260	Black	28 - 29	no / yes	1		10
KDT/ZE 29	87121262	Black	29 - 30	no / yes	1		10
KDT/ZE 30	87121264	Black	30 - 31	no / yes	1		10
Variable cable grommet (Protection class IP 42)							
KDT/VE 3-7	87121272	Black	3 - 7	yes / no	1		10
KDT/VE 7-10	87121274	Black	7 - 10	yes / no	1		10
Multi-line grommet 2-line							
KDT/ZE 2x4 double grommet [1)]	87121284	Black	4 - 5	yes / no	2		10
KDT/ZE 2x5 double grommet [1)]	87121286	Black	5 - 6	yes / no	2		10

Cable entry grommet type KDT/ZE

Article	Order No.	Color	for Ø mm	For opening small / large	No. of openings	Flexa-T old Conduit	PU pcs.
KDT/ZE 2x6 double grommet [1]	87121288	Black	6 - 7	yes / no	2		10
KDT/ZE 2x7 double grommet [1]	87121290	Black	7 - 8	yes / no	2		10
KDT/ZE 2x8 double grommet [1]	87121291	Black	8 - 9	yes / no	2		10
Multi-line grommet 4-line							
KDT/ZE 4x2 quadruple grommet [1]	87121292	Black	2 - 3	yes / no	4		10
KDT/ZE 4x3 quadruple grommet [1]	87121293	Black	3 - 4	yes / no	4		10
KDT/ZE 4x4 quadruple grommet [1]	87121294	Black	4 - 5	yes / no	4		10
KDT/ZE 4x5 quadruple grommet [1]	87121295	Black	5 - 6	yes / no	4		10
KDT/ZE 4x6 quadruple grommet [1]	87121296	Black	6 - 7	yes / no	4		10
Conduit grommet							
SDT/ZE 07	87174250	Black		yes / no	1	M10/P07	10
SDT/ZE 09	87174252	Black		yes / no	1	M12/P09	10
SDT/ZE 11	87174254	Black		yes / no	1	M16/P11	10
SDT/ZE 16	87174256	Black		no / yes	1	M20/P16	10
SDT/ZE 21	87174258	Black		no / yes	1	M25/P21	10
Dummy grommet							
BTK/E	87121266	Black		yes / no	0		10
BTG/E	87121270	Black		no / yes	0		10
ASI grommet (for ASI cable)							
KDT/ZE ASI	87121282	Black		yes / no	1		10
KDT/ZE 2xASI double grommet	87121280	Black			2		10
BST KDT/ZE ASI	87121281	Black					10
Adapter grommet (adapter for small grommet)							
ATG/E	87121268	Black		no / yes	1		10

Cable entry grommet type KDT/ZE

Article	Order No.	Color	for Ø mm	For opening small / large	No. of openings	Flexa-T old Conduit	PU pcs.
1) Unused openinings can be closed off with type BSP dummy plugs							

1) Unused openinings can be closed off with type BSP dummy plugs

Material properties

Thermoplastic elastomer (TPE)

Thermal properties

Temperature / temperature range

-40 °C – 80 °C

Fire properties

Fire classification

HB

Technical information

Halogen-free

LABS free

According to ISO 4892-2

Conformity

RoHS (EC Directive 2011/65/EU)

Approvals and operating permits

GL approval

cURus approval

Cable entry grommet type KDT/ZE

Classification

ETIM 9: EC002624
ECLASS 14: 27182815

General information

Made in Germany

Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.
A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.
All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.
They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.
Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.
Murrplastik accepts no liability for damage caused as a result of using our products.
Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.
Our General Terms and Conditions apply.