




DM Circular blanks, 1x hole



Product information

- Duomatt is a double-layer material with an UV resistant colored outer layer for marking with a Murrplastik engraving or plotter system.
- Available in various color combinations
- Three different carrier materials available
- Different geometries and holes
- UV resistant outer layer
- Material thickness 0.8 mm or 1.5 mm
- Other sizes available on request

Information, conformities and approvals



Article	Order No.	Color	Diameter mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Round (circular blanks); with adhesive foil								
DM D=15 HF, 1x3,0MM 1)	8601316013	White / Black	15	1x 3.0	0.8	198	983	198
DM D=16 HF, 1x4,0MM 1)	8601316031	White / Black	16	1x 4.0	1.5	187	J88	187
DM D=20 HF, 1x (5x3MM) 1)	8601996001	White / Black	20	1x (5,0x3,0)	1.5	104	215	104
DM D=20 HF, 1x2,5MM 1)	8601316009	Siemens silver / Black20	20	1x 2.5	1.5	104	690	104
DM D=20 HF, 1x2,5MM 1)	8601316010	Siemens silver / Black20	20	1x 2.5	0.8	104	R1A	104
DM D=20 HF, 1x2,5MM 1)	8601316011	White / Black	20	1x 2.5	1.5	104	793	104
DM D=20 HF, 1x3,0MM 1)	8601316008	White / Black	20	1x 3.0	0.8	104	65	104
DM D=20 HF, 1x3,2MM 1)	8601316015	Siemens silver / Black20	20	1x 3.2	0.8	104	994	104
DM D=20 HF, 1x5,0MM 1)	8601316020	Black / White	20	1x 5.0	0.8	104	058	104
DM D=25 HF, 1x3,0MM 1)	8601316024	Blue / White	25	1x 3.0	1.5	77	7U	77
DM D=25 HF, 1x3,0MM 1)	8601316026	Yellow / Black	25	1x 3.0	1.5	77	8D	77
DM D=25 HF, 1x3,0MM 1)	8601316027	Gray / Black	25	1x 3.0	1.5	77	A8	77



DM Circular blanks, 1x hole

Article	Order No.	Color	Diameter mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
DM D=25 HF, 1x3,0MM 1)	8601316023	Green / White	25	1x 3.0	1.5	77	7V	77
DM D=25 HF, 1x3,0MM 1)	8601316032	Orange / White	25	1x 3.0	0.8	77	L61	77
DM D=25 HF, 1x3,0MM 1)	8601306000	Red / White	25	1x 3.0	0.8	77	753	77
DM D=25 HF, 1x3,0MM 1)	8601316025	Red / White	25	1x 3.0	1.5	77	7W	77
DM D=25 HF, 1x3,0MM 1)	8601316021	Black / White	25	1x 3.0	1.5	77	219	77
DM D=25 HF, 1x3,0MM 1)	8601316019	Siemens silver / Black	25	1x 3.0	0.8	77	232	77
DM D=25 HF, 1x3,2MM 1)	8601316035	Gold / Black	25	1x 3.2	1.5	77	M78	77
DM D=25 HF, 1x3,2MM 1)	8601316037	Red / Black	25	1x 3.2	1.5	77	Z68	77
DM D=25 HF, 1x4,5MM 1)	8601316033	Siemens silver / Black	25	1x 4.5	1.5	77	L85	77
DM D=30 HF, 1x2,6MM 1)	8601316022	Siemens silver / Black	30	1x 2.6	1.5	54	2R	54
DM D=30 HF, 1x2,7MM 1)	8601316036	Siemens silver / Black	30	1x 2.7	1.5	54	M94	54
DM D=30 HF, 1x3,0MM 1)	8601316007	Red / White	30	1x 3.0	1.5	54	648	54
DM D=30 HF, 1x3,0MM 1)	8601316005	White / Black	30	1x 3.0	0.8	54	600	54
DM D=30 HF, 1x4,5MM 1)	8601316034	Siemens silver / Black	30	1x 4.5	1.5	54	L86	54
DM D=30 HF, 1x5,0MM 1)	8601316017	Blue / White	30	1x 5.0	1.5	54	376	54
DM D=30 HF, 1x5,0MM 1)	8601316016	Red / White	30	1x 5.0	1.5	54	374	54
DM D=30 HF, 1x5,0MM 1)	8601316018	White / Black	30	1x 5.0	1.5	54	375	54
DM D=35 HF, 1x4,0MM 1)	8601316030	Siemens silver / Black	35	1x 4.0	1.5	40	I60	40
DM D=45 HF, 1x3,0MM 1)	8601316012	White / Black	45	1x 3.0	0.8	24	980	24
DM D=60 HF, 1x22,5MM 1)	8601316004	Yellow / Black	60	1x 22.5	0.8	12	38A	12
DM D=80 HF, 1x22,4MM 1)	8601316028	Yellow / Black	80	1x 22.4	0.8	6	A18	6
DM° D=25 HF, 1x2,5MM 1)	8601316003	Siemens silver / Black	25	1x 2.5	0.8	77	381	77
DM° D=25 HF, 1x2,5MM 1)	8601316002	Silver / Black	25	1x 2.5	1.5	77	234	77
DM° D=25 HF, 1x3,0MM 1)	8601316000	White / Black	25	1x 3.0	0.8	77	422	77
DM° D=25 HF, 1x3,0MM 1)	8601316001	White / Black	25	1x 3.0	1.5	77	424	77



DM Circular blanks, 1x hole


Article	Order No.	Color	Diameter mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
DM ^o D=25 HF, 1x3,2MM 1)	8601316014	Siemens silver / Black25	25	1x 3.2	1.5	77	985	77

Round (circular blanks); with self-adhesive foil

DM D=25 SK, 1x3,0MM 1)	8601310001	Blue / White	25	1x 3.0	0.8	77	472	77
DM D=25 SK, 1x3,0MM 1)	8601310003	Green / White	25	1x 3.0	0.8	77	243	77
DM D=25 SK, 1x3,0MM 1)	8601310002	Orange / White	25	1x 3.0	0.8	77	242	77
DM D=25 SK, 1x3,0MM 1)	8601310004	Black / White	25	1x 3.0	0.8	77	47A	77
DM D=25 SK, 1x3,0MM 1)	8601310006	Black / White	25	1x 3.0	1.5	77	790	77
DM D=60 SK, 1x22,5MM 1)	8601310008	Yellow / Black	60	1x 22.5	0.8	12	612	12
DM D=65 SK, 1x23,0MM 1)	8601310009	Siemens silver / Black65	65	1x 23.0	0.8	8	K96	8
DM D=80 SK, 1x55,0MM 1)	8601310007	Yellow / Black	80	1x 55.0	0.8	6	611	6
DM ^o D=20 SK, 1x2,0MM 1)	8601310005	Silver / Black	20	1x 2.0	0.8	104	384	104
DM ^o D=25 SK, 1x3,0MM 1)	8601310000	White / Black	25	1x 3.0	0.8	77	420	77

1) Other sizes available on request

1) Other sizes available on request



Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
DM D=15 HF, 1x3,0MM 1)	8601316013	7.5	12
DM D=16 HF, 1x4,0MM 1)	8601316031	8	12
DM D=20 HF, 1x (5x3MM) 1)	8601996001	10	16.5
DM D=20 HF, 1x2,5MM 1)	8601316009	10	16.5



DM Circular blanks, 1x hole

Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
DM D=20 HF, 1x2,5MM 1)	8601316010	10	16.5
DM D=20 HF, 1x2,5MM 1)	8601316011	10	16.5
DM D=20 HF, 1x3,0MM 1)	8601316008	10	16.5
DM D=20 HF, 1x3,2MM 1)	8601316015	10	15
DM D=20 HF, 1x5,0MM 1)	8601316020	10	15.5
DM D=25 HF, 1x3,0MM 1)	8601316024	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316026	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316027	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316023	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316032	12.5	20.5
DM D=25 HF, 1x3,0MM 1)	8601306000	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316025	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316021	12.5	21
DM D=25 HF, 1x3,0MM 1)	8601316019	12.5	21
DM D=25 HF, 1x3,2MM 1)	8601316035	12.5	4
DM D=25 HF, 1x3,2MM 1)	8601316037	12.5	21
DM D=25 HF, 1x4,5MM 1)	8601316033	12.5	18.25
DM D=30 HF, 1x2,6MM 1)	8601316022	15	15
DM D=30 HF, 1x2,7MM 1)	8601316036	15	25.95
DM D=30 HF, 1x3,0MM 1)	8601316007	15	26
DM D=30 HF, 1x3,0MM 1)	8601316005	15	26
DM D=30 HF, 1x4,5MM 1)	8601316034	15	23.25
DM D=30 HF, 1x5,0MM 1)	8601316017	15	9
DM D=30 HF, 1x5,0MM 1)	8601316016	15	9
DM D=30 HF, 1x5,0MM 1)	8601316018	15	9



DM Circular blanks, 1x hole

Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
DM D=35 HF, 1x4,0MM 1)	8601316030	17.5	9.5
DM D=45 HF, 1x3,0MM 1)	8601316012	22.5	40
DM D=60 HF, 1x22,5MM 1)	8601316004	30	30
DM D=80 HF, 1x22,4MM 1)	8601316028	40	40
DM° D=25 HF, 1x2,5MM 1)	8601316003	12.5	21
DM° D=25 HF, 1x2,5MM 1)	8601316002	12.5	21
DM° D=25 HF, 1x3,0MM 1)	8601316000	12.5	21
DM° D=25 HF, 1x3,0MM 1)	8601316001	12.5	21
DM° D=25 HF, 1x3,2MM 1)	8601316014	12.5	21
Round (circular blanks); with self-adhesive foil			
DM D=25 SK, 1x3,0MM 1)	8601310001	12.5	21
DM D=25 SK, 1x3,0MM 1)	8601310003	12.5	21
DM D=25 SK, 1x3,0MM 1)	8601310002	12.5	21
DM D=25 SK, 1x3,0MM 1)	8601310004	12.5	21
DM D=25 SK, 1x3,0MM 1)	8601310006	12.5	21
DM D=60 SK, 1x22,5MM 1)	8601310008	30	30
DM D=65 SK, 1x23,0MM 1)	8601310009	32.5	32.5
DM D=80 SK, 1x55,0MM 1)	8601310007	40	40
DM° D=20 SK, 1x2,0MM 1)	8601310005	10	16.5
DM° D=25 SK, 1x3,0MM 1)	8601310000	12.5	21

1) Other sizes available on request

Adhesive properties



467
5016SK adhesive film with adhesive
SKS adhesive film with foam adhesive



DM Circular blanks, 1x hole

Thermal properties



Temperature / temperature range

-30 °C - 80 °C

Classification

ETIM 9: EC001530

ECLASS 14: —

UNSPSC 26.0801: 39131504

General technical data



Assembly method

00000001Label glued into place 00000

Assembly method



Adhesive system

Labelling technology



Plotter



Engraving

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.