




# LM Circular blanks, 1x hole



## **Product information**

- Custom configuration
- Various colors
- Different geometries and holes
- Three different carrier materials available
- Material thickness 0.8 mm


## Information, conformities and approvals












| Article                                 | Order No.  | Color                     | Material<br>thickness<br>mm | Number x<br>Holes<br>mm | Diameter<br>mm | Quantity per frame | Base plate                                   | Software<br>Article | PU<br>pcs. |  |  |
|---|------------|---------------------------|-----------------------------|-------------------------|----------------|--------------------|--|---------------------|------------|--|--|
| Circular blanks (round version), 1 hole |            |                           |                             |                         |                |                    |  |                     |            |  |  |
| LM D=16 HF,<br>1x4,0MM                  | 8610200485 | White / Black             | 0.8                         | 1x 4.0                  | 16             | 36                 |  | OUS                 | 144        |  |  |
| LM D=25 HF,<br>1x3,2MM                  | 8610200483 | Siemens silver /<br>Black | 0.8                         | 1x 3.2                  | 25             | 16                 |  | OUB                 | 64         |  |  |
| LM D=59,9 HF,<br>1x27,1MM               | 8610200414 | Yellow / Black            | 0.8                         | 1x 27,1                 | 59.9           | 1                  |  | OL4                 | 4          |  |  |
| LM D=65 SK,<br>1x23,0MM                 | 8610200422 | Siemens silver /<br>Black | 0.8                         | 1x 23.0                 | 65             | 1                  |  | ONO                 | 4          |  |  |
| LM D=56 SKS,<br>1x22,5MM                | 8610200587 | Yellow / Black            | 0.8                         | 1x 22.5                 | 56             | 4                  | mp-LM carrier<br>plate Premium GP<br>120x120 | PD5                 | 16         |  |  |
| LM D=20 SK,<br>1x2.0MM                  | 8610200033 | White / Black             | 0.8                         | 1x 2.0                  | 20             | 25                 |  | L03                 | 100        |  |  |
| LM° D=20 HF,<br>1x2,5MM                 | 8610200105 | White / Black             | 0.8                         | 1x 2.5                  | 20             | 25                 |  | L1I                 | 100        |  |  |
| LM D=25 HF,<br>1x3,2MM                  | 8610200177 | White / Black             | 0.8                         | 1x 3.2                  | 25             | 16                 |  | MD8                 | 64         |  |  |
| LM D=25 SK,<br>1x3,2MM                  | 8610200141 | Siemens silver /<br>Black | 0.8                         | 1x 3.2                  | 25             | 16                 |  | L7B                 | 64         |  |  |
| LM D=25 HF,<br>1x4,5MM                  | 8610200144 | Siemens silver /<br>Black | 0.8                         | 1x 4.5                  | 25             | 16                 |  | L7K                 | 64         |  |  |

as of 2025-10-29 - 188216 © Murrplastik Systemtechnik GmbH •





## LM Circular blanks, 1x hole



| Article                | Order No.  | Drill hole position X1 | Drill hole position Y1 | Hole patterns | Adhesive           |
|------------------------|------------|------------------------|------------------------|---------------|--------------------|
| LM D=25 HF, 1x3,2MM    | 8610200483 | <b>mm</b><br>12.5      | <b>mm</b><br>20.2      | 1x 3.2        | Adhesive foil      |
| LM D=59,9 HF, 1x27,1MM | 8610200414 | 29.95                  | 29.95                  | 1x 27,1       | Adhesive foil      |
| LM D=65 SK, 1x23,0MM   | 8610200422 | 32.5                   | 32.5                   | 1x 23.0       | Self-adhesive foil |
| LM D=56 SKS, 1x22,5MM  | 8610200587 | 28                     | 28                     | 1x 22.5       | Self-adhesive foil |
| LM D=20 SK, 1x2.0MM    | 8610200033 | 10                     | 17                     | 1x 2.0        | Self-adhesive foil |
| LM° D=20 HF, 1x2,5MM   | 8610200105 | 10                     | 16.2                   | 1x 2.5        | Adhesive foil      |
| LM D=25 HF, 1x3,2MM    | 8610200177 | 12.5                   | 20.2                   | 1x 3.2        | Adhesive foil      |
| LM D=25 SK, 1x3,2MM    | 8610200141 | 12.5                   | 21.8                   | 1x 3.2        | Self-adhesive foil |
| LM D=25 HF, 1x4,5MM    | 8610200144 | 12.5                   | 18.25                  | 1x 4.5        | Adhesive foil      |

## Material properties



Double-layer plastic Laser Mat (LM) Laser Mat (LM)

## Adhesive properties



5016SK adhesive film with adhesive SKS adhesive film with foam adhesive

## Thermal properties



Temperature / temperature range

-20 °C - 85 °C

#### **Technical information**



UV-resistant acc. to ISO 4892-2

© Murrplastik Systemtechnik GmbH • 2 as of 2025-10-29 - 188216





## LM Circular blanks, 1x hole

#### Classification

ETIM 9: EC001530 ECLASS 14: -UNSPSC 26.0801: 39131504

#### General technical data



Assembly method

0000000000110

#### Assembly method



Riveting system



Screw system

## Labelling technology



Laser

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the product described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.