

ALU Rectangular without radius, 2x hole





Product information

The ALU labeling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Without corner radius; with adhesive foil								
ALU 10x40 HF, 2x2.5MM 1)	8604226046	Silver anodized	10 x 40	2x 2.5	1	150	M62	150
ALU 15x40 HF, 2x3.0MM 1)	8604226042	Silver anodized	15 x 40	2x 3.0	1	100	H54	100
ALU 15x80 HF, 2x2.5MM 1)	8604226013	Black anodized	15 x 80	2x 2.5	1	39	665	40
ALU 25x65 HF, 2x4.0MM 1)	8604226048	Red anodized	25 x 65	2x 4.0	1	36	M91	33
ALU 26x80 HF, 2x2.5MM 1)	8604226045	Silver anodized	26 x 80	2x 2.5	1	22	M55	22
ALU 30x10 HF, 2x2.5MM (X=24) 1)	8604226009	Silver anodized	30 x 10	2x 2.5	1	200	868	200
ALU 30x10 HF, 2x2.5MM (X=26) 1)	8604226021	Silver anodized	30 x 10	2x 2.5	1	200	178	200
ALU 30x10 HF, 2x3.2MM 1)	8604226011	Black anodized	30 x 10	2x 3.2	1	200	934	200
ALU 30x30 HF, 2x5.0MM 1)	8604226047	Silver anodized	30 x 30	2x 5.0	1	60	M75	60
ALU 34x12 HF, 2x3.5MM 1)	8604226023	Silver anodized	34 x 12	2x 3.5	1	128	617	128
ALU 36x10 HF, 2x2.5MM	8604226041	Blue anodized	36 x 10	2x 2.5	1	160	D42	160



ALU Rectangular without radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
¹⁾ ALU 37x18 HF, 2x3.2MM	8604226010	Silver anodized	37 x 18	2x 3.2	1	88	925	88
¹⁾ ALU 40x10 HF, 2x4.0MM	8604226015	Black anodized	40 x 10	2x 4.0	1	140	240	140
¹⁾ ALU 40x12 HF, 2x2.2MM	8604226035	Black anodized	40 x 12	2x 2.2	1	112	D11	112
¹⁾ ALU ^o 40x15 HF, 2x2.5MM	8604226000	Silver anodized	40 x 15	2x 2.5	1	91	484	91
¹⁾ ALU 40x15 HF, 2x2.5MM	8604226012	Black anodized	40 x 15	2x 2.5	1	91	409	91
¹⁾ ALU 40x15 HF, 2x3.3MM	8604226040	Black anodized	40 x 15	2x 3.3	1	91	D18	91
¹⁾ ALU 40x20 HF, 2x3.0MM	8604226027	Silver anodized	40 x 20	2x 3.0	1	70	4M	70
¹⁾ ALU 40x20 HF, 2x3.0MM	8604226008	Black anodized	40 x 20	2x 3.0	1	70	777	70
¹⁾ ALU 40x20 HF, 2x3.2MM	8604226020	Silver anodized	40 x 20	2x 3.2	1	70	137	70
¹⁾ ALU 40x24 HF, 2x2.2MM	8604226034	Black anodized	40 x 24	2x 2.2	1	56	D10	56
¹⁾ ALU 45x19 HF, 2x2.6MM	8604226025	Silver anodized	45 x 19	2x 2.6	1	60	1H	60
¹⁾ ALU 50x20 HF, 2x3.3MM	8604226039	Silver anodized	50 x 20	2x 3.3	1	54	D17	60
¹⁾ ALU 50x20 HF, 2x3.5MM	8604226030	Black anodized	50 x 20	2x 3.5	1	60	78	60
¹⁾ ALU ^o 55x20 HF, 2x2.5MM	8604226001	Silver anodized	55 x 20	2x 2.5	1	50	482	50
¹⁾ ALU ^o 55x20 HF, 2x2.5MM	8604226006	Black anodized	55 x 20	2x 2.5	1	50	748	50
¹⁾ ALU 55x25 HF, 2x4.0MM	8604226022	Silver anodized	55 x 25	2x 4.0	1	40	213	40
¹⁾ ALU 60x15 HF, 2x3.4MM	8604226044	Silver anodized	60 x 15	2x 3.4	1	65	K25	65
¹⁾ ALU 60x20 HF, 2x3.5MM	8604226028	Black anodized	60 x 20	2x 3.5	1	50	5H	50
¹⁾ ALU 60x20 HF, 2x3.5MM	8604226029	Blue anodized	60 x 20	2x 3.5	1	50	5I	50
¹⁾ ALU 60x25 HF, 2x3.0MM	8604226018	Silver anodized	60 x 25	2x 3.0	1	10	385	40
¹⁾ ALU 60x30 HF, 2x3.3MM	8604226036	Silver anodized	60 x 30	2x 3.3	1	30	D14	30



ALU Rectangular without radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
ALU 60x40 HF, 2x2.0MM 1)	8604226031	Red anodized	60 x 40	2x 2.0	1	25	6M	25
ALU 70x10 HF, 2x2.0MM 1)	8604226007	Silver anodized	70 x 10	2x 2.0	1	80	766	80
ALU 70x25 HF, 2x3.5MM 1)	8604226032	Black anodized	70 x 25	2x 3.5	1	32	71	32
ALU 70x26 HF, 2x3.3MM 1)	8604226038	Silver anodized	70 x 26	2x 3.3	1	28	D16	28
ALU 70x27 HF, 2x2.6MM 1)	8604226024	Silver anodized	70 x 27	2x 2.6	1	28	655	28
ALU 70x50 HF, 2x3.3MM 1)	8604226037	Silver anodized	70 x 50	2x 3.3	1	16	D15	16
ALU 74x26 HF, 2x3.2MM 1)	8604226016	Silver anodized	74 x 26	2x 3.2	1	28	360	28
ALU 100x40 HF, 2x2.5MM 1)	8604226019	Silver anodized	100 x 40	2x 2.5	1	15	R3A	15
ALU 105x37 HF, 2x3.2MM 1)	8604226017	Silver anodized	105 x 37	2x 3.2	1	10	654	10
ALU 120x80 HF, 2x6.0MM 1)	8604226043	Red anodized	120 x 80	2x 6.0	1	4	H76	4
ALU 145x85 HF, 2x2.6MM (diagonal) 1)	8604226026	Silver anodized	145 x 85	2x 2.6	1	4	3J	4
ALU 290x30 HF, 2x3.0MM 1)	8604216001	Silver anodized	290 x 30	2x 3.0	1	6	780	6
Without corner radius; with self-adhesive foil								
ALU 18x200 SK, 2x3.0MM 1)	8604220014	Silver anodized	18 x 200	2x 3.0	1	16	2J	16
ALU 25x10 SK, 2x2.2MM 1)	8604220004	Silver anodized	25 x 10	2x 2.2	1	240	367	240
ALU 25x10 SK, 2x2.2MM 1)	8604220009	Black anodized	25 x 10	2x 2.2	1	240	515	240
ALU 30x15 SK, 2x2.3MM 1)	8604220000	Blue anodized	30 x 15	2x 2.3	1	130	860	130
ALU 30x15 SK, 2x2.5MM 1)	8604220011	Silver anodized	30 x 15	2x 2.5	1	130	688	130
ALU 40x9 SK, 2x2.5MM 1)	8604220001	Silver anodized	40 x 9	2x 2.5	1	154	988	154
ALU 50x12.5 SK, 2x3.0MM 1)	8604220002	Silver anodized	50 x 12.5	2x 3.0	1	96	050	96
ALU 50x25 SK, 2x3.0MM 1)	8604220003	Silver anodized	50 x 25	2x 3.0	1	48	027	48
ALU 50x25 SK, 2x3.0MM 1)	8604220015	Silver anodized	50 x 25	2x 3.0	1	48	Z76	48




ALU Rectangular without radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
ALU 60x16 SK, 2x2,5MM 1)	8604220007	Silver anodized	60 x 16	2x 2.5	1	60	193	60
ALU 70x10 SK, 2x2,2MM 1)	8604220010	Black anodized	70 x 10	2x 2.2	1	80	536	80
ALU 90x16 SK, 2x2,5MM 1)	8604220005	Silver anodized	90 x 16	2x 2.5	1	36	190	36
ALU 130x32 SK, 2x2,5MM 1)	8604220013	Silver anodized	130 x 32	2x 2.5	1	12	689	12
ALU 180x32 SK, 2x2,5MM 1)	8604220008	Silver anodized	180 x 32	2x 2.5	1	6	194	6
ALU 230x32 SK, 2x2,5MM 1)	8604220006	Silver anodized	230 x 32	2x 2.5	1	6	191	6

1) Other sizes available on request

1) Other sizes available on request



Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 10x40 HF, 2x2.5MM 1)	8604226046		34	5	3		37
ALU 15x40 HF, 2x3.0MM 1)	8604226042		34	7.5	3		37
ALU 15x80 HF, 2x2.5MM 1)	8604226013		74	7.5	3		77
ALU 25x65 HF, 2x4.0MM 1)	8604226048		55	12.5	5		60
ALU 26x80 HF, 2x2.5MM 1)	8604226045		74	13	3		77
ALU 30x10 HF, 2x2.5MM (X=24) 1)	8604226009	24		3	5	27	
ALU 30x10 HF, 2x2.5MM (X=26) 1)	8604226021	26		2	5	28	
ALU 30x10 HF, 2x3.2MM 1)	8604226011	24		3	5	27	
ALU 30x30 HF, 2x5.0MM 1)	8604226047	20		5	5	25	
ALU 34x12 HF, 2x3.5MM 1)	8604226023	24		5	6	29	



ALU Rectangular without radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 36x10 HF, 2x2.5MM 1)	8604226041	31		2.5	5		33.5
ALU 37x18 HF, 2x3.2MM 1)	8604226010	30		3.5	9		33.5
ALU 40x10 HF, 2x4.0MM 1)	8604226015	32		4	5		36
ALU 40x12 HF, 2x2.2MM 1)	8604226035	33		3.5	6		36.5
ALU° 40x15 HF, 2x2.5MM 1)	8604226000	34		3	7.5		37
ALU 40x15 HF, 2x2.5MM 1)	8604226012	34		3	7.5		37
ALU 40x15 HF, 2x3.3MM 1)	8604226040	34		3	7.5		37
ALU 40x20 HF, 2x3.0MM 1)	8604226027	32		4	10		36
ALU 40x20 HF, 2x3.0MM 1)	8604226008	32		4	10		36
ALU 40x20 HF, 2x3.2MM 1)	8604226020	34		3	10		37
ALU 40x24 HF, 2x2.2MM 1)	8604226034	33		3.5	12		36.5
ALU 45x19 HF, 2x2.6MM 1)	8604226025	37		4	9.5		41
ALU 50x20 HF, 2x3.3MM 1)	8604226039	41		4.5	10		45.5
ALU 50x20 HF, 2x3.5MM 1)	8604226030	42		4	10		46
ALU° 55x20 HF, 2x2.5MM 1)	8604226001	49		3	10		52
ALU° 55x20 HF, 2x2.5MM 1)	8604226006	49		3	10		52
ALU 55x25 HF, 2x4.0MM 1)	8604226022	47		4	12.5		51
ALU 60x15 HF, 2x3.4MM 1)	8604226044	52.5		3.75	7.5		56.25
ALU 60x20 HF, 2x3.5MM 1)	8604226028	49		5.5	10		54.5
ALU 60x20 HF, 2x3.5MM 1)	8604226029	49		5.5	10		54.5
ALU 60x25 HF, 2x3.0MM 1)	8604226018	53		3.5	12.5		56.5
ALU 60x30 HF, 2x3.3MM 1)	8604226036	52		4	15		56
ALU 60x40 HF, 2x2.0MM 1)	8604226031	54		3	20		57
ALU 70x10 HF, 2x2.0MM 1)	8604226007	60		5	5		65
ALU 70x25 HF, 2x3.5MM 1)	8604226032	60		5	12.5		65



ALU Rectangular without radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 70x26 HF, 2x3.3MM 1)	8604226038	60		5	13	65	
ALU 70x27 HF, 2x2.6MM 1)	8604226024	62		4	13.5	66	
ALU 70x50 HF, 2x3.3MM 1)	8604226037	32		30	25	62	
ALU 74x26 HF, 2x3.2MM 1)	8604226016	64		5	13	69	
ALU 100x40 HF, 2x2.5MM 1)	8604226019	92		4	20	96	
ALU 105x37 HF, 2x3.2MM 1)	8604226017	93		6	18.5	99	
ALU 120x80 HF, 2x6.0MM 1)	8604226043	102		9	40	111	
ALU 145x85 HF, 2x2.6MM (diagonal) 1)	8604226026			5	5	140	80
ALU 290x30 HF, 2x3.0MM 1)	8604216001	283		3.5	15	286.5	
Without corner radius; with self-adhesive foil							
ALU 18x200 SK, 2x3.0MM 1)	8604220014		193	9	3.5		196.5
ALU 25x10 SK, 2x2.2MM 1)	8604220004	21		2	5	23	
ALU 25x10 SK, 2x2.2MM 1)	8604220009	21		2	5	23	
ALU 30x15 SK, 2x2.3MM 1)	8604220000	24		3	7.5	27	
ALU 30x15 SK, 2x2.5MM 1)	8604220011	24		3	7.5	27	
ALU 40x9 SK, 2x2.5MM 1)	8604220001	34		3	4.5	37	
ALU 50x12.5 SK, 2x3.0MM 1)	8604220002	43		3.5	6.25	46.5	
ALU 50x25 SK, 2x3.0MM 1)	8604220003	43		3.5	12.5	46.5	
ALU 50x25 SK, 2x3.0MM 1)	8604220015	44		3	12.5	47	
ALU 60x16 SK, 2x2.5MM 1)	8604220007	52		4	8	56	
ALU 70x10 SK, 2x2.2MM 1)	8604220010	66		2	5	68	
ALU 90x16 SK, 2x2.5MM 1)	8604220005	82		4	8	86	
ALU 130x32 SK, 2x2.5MM 1)	8604220013	122		4	16	126	
ALU 180x32 SK, 2x2.5MM 1)	8604220008	172		4	16	176	
ALU 230x32 SK, 2x2.5MM 1)	8604220006	222		4	16	226	



ALU Rectangular without radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
1) Other sizes available on request							

Material properties



Aluminium anodised (ALU)

Adhesive properties



467SK adhesive film with adhesive

Thermal properties



Temperature / temperature range

-40 °C - 140 °C

Fire properties



Fire classification

V0

Classification

ETIM 9: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

Assembly method



Adhesive system



Screw system

Labelling technology



Engraving

Information given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.