






DM Circular blanks, 2x hole



Product information

- Duomatt is a double-layer material with an UV resistant colored outer layer for marking with a Murrplastik engraving or plotter system.
- Available in various color combinations
- Three different carrier materials available
- Different geometries and holes
- UV resistant outer layer
- Material thickness 0.8 mm or 1.5 mm
- Other sizes available on request


Information, conformities and approvals



Article	Order No.	Color	Diameter mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Round (circular blanks); with adhesive foil								
DM D=25 HF, 2x2,0MM 1)	8609308000	Blue / White	25	2x 2.0	1.5	77	79	77
DM D=25 HF, 2x2,0MM 1)	8601326000	Red / White	25	2x 2.0	1.5	77	430	77
DM D=25 HF, 2x2,5MM 1)	8601326001	Siemens silver / Black25	25	2x 2.5	0.8	77	474	77
DM D=25 HF, 2x3,0MM 1)	8601326002	Siemens silver / Black25	25	2x 3.0	0.8	77	530	77
Round (circular blanks); with self-adhesive foil								
DM D=25 SK, 2x3,0MM 1)	8601320000	White / Black	25	2x 3.0	1.5	77	380	77

1) Other sizes available on request

1) Other sizes available on request





DM Circular blanks, 2x hole

Article	Order No.	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position Y2 mm
DM D=25 HF, 2x2,0MM 1)	8609308000	17	12.5	4	21
DM D=25 HF, 2x2,0MM 1)	8601326000	17	12.5	4	21
DM D=25 HF, 2x2,5MM 1)	8601326001	17	12.5	4	21
DM D=25 HF, 2x3,0MM 1)	8601326002	17	12.5	4	21
Round (circular blanks); with self-adhesive foil					
DM D=25 SK, 2x3,0MM 1)	8601320000	17	12.5	4	21

1) Other sizes available on request

Adhesive properties



467
5016SK adhesive film with adhesive
SKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range
-30 °C - 80 °C

Classification

ETIM 9: EC001530
ECLASS 14: –
UNSPSC 26.0801: 39131504

General technical data



Assembly method
00000001Label glued into place 00000

Assembly method



Adhesive system

Labelling technology



Plotter



DM Circular blanks, 2x hole

Labelling technology



Engraving
