




Label holder BMA




Product information

The BMA system is a flexible system for the labeling of push-buttons and signal lamps.

The neutral BMA type label holders can be equipped with various BT-SR type label frames, depending on the labeling requirement or request.

Information, conformities and approvals



Article	Order No.	Color	Recommended Label	PU pcs.
Holder standard				
BMA 22,5	86442020	Black		50
BMA 30.0	86442024	Black		50
Standard label frame				
BT-SR 15x27	86442034	Black	KS 15/27	10
BT-SR 15x49	86442036	Black	KS 15/49	10
BT-SR 15x67	86442038	Black	KS 15/67	10
BT-SR 27x12.5	86442028	Black	KSK 27x12,5	10
BT-SR 27x18	86442030	Black	KSK 27x18	10
BT-SR 27x27	86442032	Black	KSK 27x27	10
Holder Harmony				
BMA 22,5 Harmony	86442022	Black		50
Harmony label frame				



Label holder BMA

Article	Order No.	Color	Recommended Label	PU pcs.
BT-SR 8x26.5 Harmony	86442026	Black	KS 8/26.5	10
BT-SR 27x18 Harmony	86442042	Black	KSK 27x18	10
Transparent cover for label holder				
TA 8/26.5	86441418	Transparent		
TA 15/27	86441410	Transparent		
TA 15/49	86441412	Transparent		
TA 15/67	86441414	Transparent		
TA 27/12.5	86441420	Transparent		216
TA 27/18	86441422	Transparent		180
TA 27/27	86441424	Transparent		108

Material properties



BT-SR and BMA: Polyvinyl chloride (PVC)
TA: Polycarbonate (PC) Polyvinyl chloride (PVC)
Polycarbonate (PC)

Thermal properties



Temperature / temperature range
-40 °C - 80 °C

Fire properties



Fire classification
V0

Classification

ETIM 9: EC000141
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data



Assembly method
000000000110



Label holder BMA

Assembly method



Riveting system



Screw system