


## KSK (label plate adhesive)



### Product information

High-quality, halogen-free, self-adhesive label. The KS 22x22 is suitable for Siemens 3SB push-button and signal lamp holders.

- Other available sizes of the self-adhesive KSK label are used with BT-SR label holders as well as label holders of other manufacturers.

### Information, conformities and approvals



Article	Order No.	Color	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
<b>For Siemens 3SB push-button and signal lamp holders</b>									
KSK 22x22	86361278	White	22 x 22	22 x 22	12 / 6	8	GP3	128	144
KSK 22x22	86361280	Gray	22 x 22	22 x 22	12 / 6	8	GP3	129	144
<b>For BT-SR 27x12.5</b>									
KSK 27x12,5	86361266	White	12.5 x 27	12.5 x 27	15 / 3	12	GP3	115	216
KSK 27x12,5	86361268	Gray	12.5 x 27	12.5 x 27	15 / 3	12	GP3	116	216
<b>For BT-SR 27x18 and BT-SR 27x18 Harmony</b>									
KSK 27x18	86361270	White	18 x 27	18 x 27	15 / 5	10	GP3	117	180
KSK 27x18	86361272	Gray	18 x 27	18 x 27	15 / 5	10	GP3	118	180
<b>For BT-SR 27x27</b>									
KSK 27x27	86361274	White	27 x 27	27 x 27	15 / 7	6	GP3	119	108
KSK 27x27	86361276	Gray	27 x 27	27 x 27	15 / 7	6	GP3	127	108



## KSK (label plate adhesive)

### Material properties



Polycarbonate (PC)

### Adhesive properties



468Adhesive

### Thermal properties



Temperature / temperature range

-40 °C - 130 °C

### Fire properties



Fire classification

V0

### Technical information



Halogen-free

### Classification

ETIM 9: EC001288  
ECLASS 14: 27144009  
UNSPSC 26.0801: 39131504

### General technical data



Assembly method

0000000100000

### Assembly method



Adhesive system

### Labelling technology



Plotter



Laser



---

## KSK (label plate adhesive)

---

### Labelling technology



Inkjet

---