


KS K (label plate adhesive)



Product information

High-quality, halogen-free, self-adhesive label. The KS 22x22 is suitable for Siemens 3SB push-button and signal lamp holders.

- Other available sizes of the self-adhesive KSK label are used with BT-SR label holders as well as label holders of other manufacturers.

Information, conformities and approvals



Article	Order No.	Color	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
For Siemens 3SB push-button and signal lamp holders									
KS K 22x22	86361278	White	22 x 22	22 x 22	12 / 6	8	GP3	128	144
KS K 22x22	86361280	Gray	22 x 22	22 x 22	12 / 6	8	GP3	129	144
For BT-SR 27x12.5									
KS K 27x12.5	86361266	White	12.5 x 27	12.5 x 27	15 / 3	12	GP3	115	216
KS K 27x12.5	86361268	Gray	12.5 x 27	12.5 x 27	15 / 3	12	GP3	116	216
For BT-SR 27x18 and BT-SR 27x18 Harmony									
KS K 27x18	86361270	White	18 x 27	18 x 27	15 / 5	10	GP3	117	180
KS K 27x18	86361272	Gray	18 x 27	18 x 27	15 / 5	10	GP3	118	180
For BT-SR 27x27									
KS K 27x27	86361274	White	27 x 27	27 x 27	15 / 7	6	GP3	119	108
KS K 27x27	86361276	Gray	27 x 27	27 x 27	15 / 7	6	GP3	127	108



KSK (label plate adhesive)

Material properties

	Polycarbonate (PC)
--	--------------------

Adhesive properties

	468Adhesive
--	-------------

Thermal properties

	Temperature / temperature range
	-40 °C - 130 °C

Fire properties

	Fire classification
	VO

Technical information

	Halogen-free
--	--------------

Classification

ETIM 9: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data

	Assembly method
	0000000100000

Assembly method

	Adhesive system
--	-----------------

Labelling technology

	Plotter
	Laser



KS (label plate adhesive)

Labelling technology



Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.