


ALM Rectangular with radius, 2x hole




Product information

- Triple-layer material (aluminum-plastic-aluminum)
- Black plastic inner layer
- Outer layer in silver or gold
- Available with self-adhesive foil / adhesive foil
- Thickness: 1.5 mm
- Inscription technique: Engraving

ALUMATT products are high pressure decorative laminated sheets, preferably in plain colors. In contrast to standard laminates, Alumatt has a three-layer symmetrical structure of melamine resin impregnated cellulose sheeting. The color of all layers is exactly defined. The colors of both outer layers are usually in stark contrast to the core color. This color contrast makes the engraving very readable. For engraving, the outer layers are kept very thin. The layer thickness is approximately 0.08 mm. The plain papers are homogeneously colored in the mass. The color connection is secured with these paper qualities. The base is free of heavy metals and has a high level of light stability.

Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Corner radius 2 mm; with adhesive foil								
ALM 15x50 R2, HF, 2x4,2MM 1)	8603126021	Silver / Black / Silver	15 x 50	2x 4.2	1.5	240	L52	80
ALM 15x80 R2, HF, 2x4,0MM 1)	8603126029	Silver / Black / Silver	15 x 80	2x 4.0	1.5	40	A66	40
ALM 25x10 R2, HF, 2x3,2MM 1)	8603126023	Silver / Black / Silver	25 x 10	2x 3.2	1.5	240	Z26	240
ALM 30x10 R2 HF, 2x2,5MM 1)	8603126015	Silver / Black / Silver	30 x 10	2x 2.5	1.5	200	J04	200
ALM 30x12 R2, HF, 2x3,2MM 1)	8603126024	Silver / Black / Silver	30 x 12	2x 3.2	1.5	160	Z27	160
ALM 30x15 R2 HF, 2x2,7MM 1)	8603126019	Silver / Black / Silver	30 x 15	2x 2.7	1.5	130	L40	130
ALM 30x15 R2 HF, 2x3,5MM 1)	8603126007	Silver / Black / Silver	30 x 15	2x 3.5	1.5	130	1Y	130
ALM 30x15 R2, HF, 2x4,2MM 1)	8603126022	Silver / Black / Silver	30 x 15	2x 4.2	1.5	130	L53	130
ALM 30x50 R2 HF, 2x3,0MM 1)	8603126020	Silver / Black / Silver	30 x 50	2x 3.0	1.5	40	L46	40
ALM 36x10 R2 HF, 2x2,5MM 1)	8603126000	Silver / Black / Silver	36 x 10	2x 2.5	1.5	160	429	160
ALM 42x16 R2 HF, 2x3,2MM	8603126005	Silver / Black / Silver	42 x 16	2x 3.2	1.5	84	4F	84




ALM Rectangular with radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
¹⁾ ALM 50x15 R2 HF, 2x3.2MM	8603126004	Silver / Black / Silver	50 x 15	2x 3.2	1.5	78	4D	78
¹⁾ ALM 50x15 R2 HF, 2x3.5MM	8603126003	Silver / Black / Silver	50 x 15	2x 3.5	1.5	78	4B	78
¹⁾ ALM 52x18 R2 HF, 2x2.8MM	8603126018	Silver / Black / Silver	52 x 18	2x 2.8	1.5	55	K50	55
¹⁾ ALM ^o 52x18 R2 HF, 2x3.2MM	8603126006	Silver / Black / Silver	52 x 18	2x 3.2	1.5	55	4H	55
¹⁾ ALM 52x22 R2 HF, 2x3.0MM	8603126008	Silver / Black / Silver	52 x 22	2x 3.0	1.5	45	B50	45
¹⁾ ALM 57x26 R2 HF, 2x3.2MM	8603126002	Silver / Black / Silver	57 x 26	2x 3.2	1.5	35	239	35
¹⁾ ALM 60x20 R2 HF, 2x2.5MM	8603126014	Silver / Black / Silver	60 x 20	2x 2.5	1.5	50	J03	50
¹⁾ ALM 60x25 R2 HF, 2x3.2MM	8603126028	Silver / Black / Silver	60 x 25	2x 3.2	1.5	40	A7B	40
¹⁾ ALM 60x30 R2 HF, 2x3.5MM	8603126011	Silver / Black / Silver	60 x 30	2x 3.5	1.5	30	I81	30
¹⁾ ALM 60x43 R2 HF, 2x2.5MM	8603126013	Silver / Black / Silver	60 x 43	2x 2.5	1.5	20	J02	20
¹⁾ ALM 60x46 R2 HF, 2x2.5MM	8603126017	Silver / Black / Silver	60 x 46	2x 2.5	1.5	20	J06	20
¹⁾ ALM 60x52 R2 HF, 2x2.5MM	8603126012	Silver / Black / Silver	60 x 52	2x 2.5	1.5	15	J01	15
¹⁾ ALM 70x18 R2 HF, 2x3.3MM	8603126009	Silver / Black / Silver	70 x 18	2x 3.3	1.5	44	H29	44
¹⁾ ALM 70x27 R2 HF, 2x3.3MM	8603126010	Silver / Black / Silver	70 x 27	2x 3.3	1.5	28	H30	28
¹⁾ ALM 100x18 R2 HF, 2x3.5MM	8603126026	Silver / Black / Silver	100 x 18	2x 3.5	1.5	33	Z87	33
¹⁾ ALM 74x27 R2 HF, 2x3.5MM	8603126025	Silver / Black / Silver	74 x 27	2x 3.5	1.5	28	Z86	28
¹⁾ ALM 74x50 R2 HF, 2x3.5MM	8603126027	Silver / Black / Silver	74 x 50	2x 3.5	1.5	16	Z88	16
¹⁾ ALM 100x50 R2 HF, 2x2.5MM	8603126016	Silver / Black / Silver	100 x 50	2x 2.5	1.5	12	J05	12
Corner radius 1 mm; with self-adhesive foil								
¹⁾ ALM 25x10 R1 SK, 2x3.2MM	8603120007	Silver / Black / Silver	25 x 10	2x 3.2	1.5	240	H85	240
¹⁾ ALM 60x15 R1 SK, 2x3.2MM	8603120005	Silver / Black / Silver	60 x 15	2x 3.2	1.5	65	H82	65
¹⁾ ALM 70x15 R1 SK, 2x3.2MM	8603120006	Silver / Black / Silver	70 x 15	2x 3.2	1.5	52	H83	52



ALM Rectangular with radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
1)								
Corner radius 2 mm; with self-adhesive foil								
ALM 27x18 R2 SK, 2x3.0MM	8603120000	Silver / Black / Silver	27 x 18	2x 3.0	1.5	121	075	121
1)								
ALM 36x10 R2 SK, 2x2.5MM	8603220000	Silver / Black / Silver	36 x 10	2x 2.5	1.5	160	391	160
1)								
Corner radius 2.5 mm; with self-adhesive foil								
ALM 30x15 R2.5 SK, 2x3.2MM	8603120001	Silver / Black / Silver	30 x 15	2x 3.2	1.5	130	H33	130
1)								
ALM 50x25 R2.5 SK, 2x3.2MM	8603120002	Silver / Black / Silver	50 x 25	2x 3.2	1.5	48	H34	48
1)								
ALM 60x15 R2.5 SK, 2x3.2MM	8603120003	Silver / Black / Silver	60 x 15	2x 3.2	1.5	65	H35	65
1)								
ALM 70x45 R2.5 SK, 2x3.2MM	8603120004	Silver / Black / Silver	70 x 45	2x 3.2	1.5	16	H37	16
1)								
Corner radius 1.5 mm; with adhesive foil								
ALM 40x15 R1.5 HF, 2x2.5MM	8603126001	Silver / Black / Silver	40 x 15	2x 2.5	1.5	91	196	91
1)								
1) Other sizes available on request								
1) Other sizes available on request								



Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALM 15x50 R2, HF, 2x4.2MM 1)	8603126021		44	7.5	3		47
ALM 15x80 R2, HF, 2x4.0MM 1)	8603126029		68	7.5	6		74
ALM 25x10 R2, HF, 2x3.2MM 1)	8603126023	19		3	5	22	
ALM 30x10 R2 HF, 2x2.5MM 1)	8603126015	25		2.5	5	27.5	
ALM 30x12 R2, HF, 2x3.2MM 1)	8603126024	24		3	6	27	



ALM Rectangular with radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALM 30x15 R2 HF, 2x2.7MM 1)	8603126019	25		2.5	7.5	27.5	
ALM 30x15 R2 HF, 2x3.5MM 1)	8603126007	25		2.5	7.5	27.5	
ALM 30x15 R2, HF, 2x4,2MM 1)	8603126022	24		3	7.5	27	
ALM 30x50 R2 HF, 2x3.0MM 1)	8603126020		43	15	3.5		46.5
ALM 36x10 R2 HF, 2x2.5MM 1)	8603126000	28		4	5	32	
ALM 42x16 R2 HF, 2x3.2MM 1)	8603126005	36		3	8	39	
ALM 50x15 R2 HF, 2x3.2MM 1)	8603126004	45		2.5	7.5	47.5	
ALM 50x15 R2 HF, 2x3.5MM 1)	8603126003	45		2.5	7.5	47.5	
ALM 52x18 R2 HF, 2x2.8MM 1)	8603126018	47		2.5	9	49.5	
ALM° 52x18 R2 HF, 2x3.2MM 1)	8603126006	42		5	9	47	
ALM 52x22 R2, HF, 2x3,0MM 1)	8603126008	44		4	11	48	
ALM 57x26 R2 HF, 2x3.2MM 1)	8603126002	47		5	13	52	
ALM 60x20 R2 HF, 2x2.5MM 1)	8603126014	55		2.5	10	57.5	
ALM 60x25 R2 HF, 2x3,2MM 1)	8603126028	50		5	12.5	55	
ALM 60x30 R2 HF, 2x3.5MM 1)	8603126011	53		3.5	15	56.5	
ALM 60x43 R2 HF, 2x2.5MM 1)	8603126013	55		2.5	21.5	57.5	
ALM 60x46 R2 HF, 2x2.5MM 1)	8603126017	55		2.5	23	57.5	
ALM 60x52 R2 HF, 2x2.5MM 1)	8603126012	55		2.5	26	57.5	
ALM 70x18 R2, HF, 2x3,3MM 1)	8603126009	62		4	9	66	
ALM 70x27 R2 HF, 2x3,3MM 1)	8603126010	62		4	13.5	66	
ALM 100x18 R2 HF, 2x3.5MM 1)	8603126026	95		2.5	9	97.5	
ALM 74x27 R2 HF, 2x3.5MM 1)	8603126025	69		2.5	13.5	71.5	
ALM 74x50 R2 HF, 2x3.5MM 1)	8603126027	69		2.5	25	71.5	
ALM 100x50 R2 HF, 2x2.5MM 1)	8603126016	95		2.5	25	97.5	

Corner radius 1 mm; with self-adhesive foil



ALM Rectangular with radius, 2x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALM 25x10 R1 SK, 2x3.2MM 1)	8603120007	21		2	5	23	
ALM 60x15 R1 SK, 2x3.2MM 1)	8603120005	53		3.5	7.5	56.5	
ALM 70x15 R1 SK, 2x3.2MM 1)	8603120006	63		3.5	7.5	66.5	
Corner radius 2 mm; with self-adhesive foil							
ALM 27x18 R2 SK, 2x3.0MM 1)	8603120000	21		3	9	24	
ALM 36x10 R2 SK, 2x2.5MM 1)	8603220000	28		4	5	32	
Corner radius 2.5 mm; with self-adhesive foil							
ALM 30x15 R2.5 SK, 2x3.2MM 1)	8603120001	24		3	7.5	27	
ALM 50x25 R2.5 SK, 2x3.2MM 1)	8603120002	44		3	12.5	47	
ALM 60x15 R2.5 SK, 2x3.2MM 1)	8603120003	54		3	7.5	57	
ALM 70x45 R2.5 SK, 2x3.2MM 1)	8603120004	64		3	22.5	67	
Corner radius 1.5 mm; with adhesive foil							
ALM 40x15 R1.5 HF, 2x2.5MM 1)	8603126001	35		2.5	7.5	37.5	

1) Other sizes available on request

Material properties



Alumatt (ALM)

Adhesive properties



467SK adhesive film with adhesive

Thermal properties



Temperature / temperature range

-40 °C - 80 °C

Fire properties



Fire classification

B2



ALM Rectangular with radius, 2x hole

Classification

ETIM 9: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

Assembly method



Adhesive system



Screw system

Labelling technology



Engraving