
Cable entry plate round type KDP/ZR




Product information

The KDP/ZR cable entry plate is made of modified Polypropylene and is a round entry and fastening system for cables without plugs and pneumatic hoses such as those used in control cabinets, plant or machine construction. Wherever quick assembly is required with high packing density and cables must be protected, the cable insertion system is used.
The special benefits of the KDP/ZR are:

- Enormous time savings in assembly
- High packing density
- Standardized cut-out dimensions
- Large wire diameter ranges
- Very flat design







Information, conformities and approvals

Article	Order No.	Color	No. of openings	Openings Quantity x Ø mm	Thread metric	PU pcs.
small thread						
KDP/ZR 40/6, KG	87303130	Black	6	1x 2mm-4mm 2x 3mm-6mm 2x 5mm-9mm 1x 7.5mm-12mm	M40x1,5	5
KDP/ZR 40/7, KG	87303132	Black	7	4x 3mm-6mm 3x 5mm-9mm	M40x1,5	5
KDP/ZR 50/10, KG	87303150	Black	10	2x 2mm-4mm 3x 3mm-6mm 3x 5mm-9mm 1x 7.5mm-12mm 1x 10mm-16mm	M50x1,5	5
KDP/ZR 50/10-1, KG	87303152	Black	10	3x 3mm-6mm 7x 5mm-9mm	M50x1,5	5
KDP/ZR 63/15, KG	87303170	Black	15	4x 2mm-4mm 3x 3mm-6mm 4x 5mm-9mm 2x 7.5mm-12mm 1x 10mm-16mm 1x 14mm-20mm	M63x1,5	5
KDP/ZR 63/18, KG	87303172	Black	18	8x 3mm-6mm 10x 5mm-9mm	M63x1,5	5
KDP/ZR 63/30, KG	87303174	Black	30	30x 3mm-6mm	M63x1,5	5
Standard thread						
KDP/ZR 40/6	87303120	Black	6	1x 2mm-4mm 2x 3mm-6mm 2x 5mm-9mm 1x 7.5mm-12mm	M40x1,5	5
KDP/ZR 40/7	87303122	Black	7	4x 3mm-6mm 3x 5mm-9mm	M40x1,5	5

Cable entry plate round type KDP/ZR

Article	Order No.	Color	No. of openings	Openings Quantity x Ø mm	Thread metric	PU pcs.
KDP/ZR 50/10	87303140	Black	10	2x 2mm-4mm 3x 3mm-6mm 3x 5mm-9mm 1x 7.5mm-12mm 1x 10mm-16mm	M50x1,5	5
KDP/ZR 50/10-1	87303142	Black	10	3x 6mm-9mm 7x 5mm-9mm	M50x1,5	5
KDP/ZR 63/15	87303160	Black	15	4x 2mm-4mm 3x 3mm-6mm 4x 5mm-9mm 2x 7.5mm-12mm 1x 10mm-16mm 1x 14mm-20mm	M63x1,5	5
KDP/ZR 63/18	87303162	Black	18	8x 3mm-6mm 10x 5mm-9mm	M63x1,5	5
KDP/ZR 63/30	87303164	Black	30	30x 3mm-6mm	M63x1,5	5







Article	Order No.	A mm	B mm	C mm	d mm
KDP/ZR 40/6, KG	87303130	48.5	8.5	12	40.5
KDP/ZR 40/7, KG	87303132	48.5	8.5	12	40.5
KDP/ZR 50/10, KG	87303150	58.5	8.5	12	50.5
KDP/ZR 50/10-1, KG	87303152	58.5	8.5	12	50.5
KDP/ZR 63/15, KG	87303170	71.5	8.5	12	63.5
KDP/ZR 63/18, KG	87303172	71.5	8.5	12	63.5
KDP/ZR 63/30, KG	87303174	71.5	8.5	12	63.5
Standard thread					
KDP/ZR 40/6	87303120	48.5	8.5	24.5	40.5
KDP/ZR 40/7	87303122	48.5	8.5	24.5	40.5
KDP/ZR 50/10	87303140	58.5	8.5	24.5	50.5
KDP/ZR 50/10-1	87303142	58.5	8.5	24.5	50.5

Cable entry plate round type KDP/ZR

Article	Order No.	A mm	B mm	C mm	d mm
KDP/ZR 63/15	87303160	71.5	8.5	24.5	63.5
KDP/ZR 63/18	87303162	71.5	8.5	24.5	63.5
KDP/ZR 63/30	87303164	71.5	8.5	24.5	63.5

Material properties

Frame: Polypropylene (PP)
Seal: Thermoplastic elastomer (TPE) Polypropylene (PP)
Thermoplastic elastomer (TPE)

Thermal properties

Temperature / temperature range

-45 °C – 70 °C

Protection class

Protection class

IP66/67
IP68
IP69K (with matching cables)

Fire properties

Fire classification

HB

Technical information

Halogen-free

LABS free

According to ISO 4892-2

exterior

Conformity

RoHS (EC Directive 2011/65/EU)

Cable entry plate round type KDP/ZR

Approvals and operating permits

UL Type 4x

cURus approval

Classification

ETIM 9: EC002624
ECLASS 14: 27182815
UNSPSC 26.0801: 39121312

General information

Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.
A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.
All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.
They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.
Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.
Murrplastik accepts no liability for damage caused as a result of using our products.
Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.
Our General Terms and Conditions apply.