



## Mounting socket




### Product information

Mounting socket with universal compatibility.

- Suitable for all conventional aluminum support profiles and thus universally compatible
- Versatile application: Fastening of different systems for maximum flexibility and a wide range of requirements
- Simple and quick assembly thanks to ready-to-install product
- Flexible change of position and subsequent attachment to existing systems possible
- Secure and vibration-proof fastening
- Tensile strength  $\geq 25$  kg

### Information, conformities and approvals



Article	Order No.	SW mm	Section groove	$\varnothing$ A mm	$\varnothing$ B mm	C mm	D mm	E mm	G	PU
MS-N5/M4	83728507	32	5	36	30	15.3	9.5 - 14	5.3 - 7.7	M4	25
MS-N5/M5	83728509	32	5	36	30	15.3	9.5 - 14	5.3 - 7.7	M5	25
MS-N5/M6	83728511	32	5	36	30	15.3	9.5 - 14	5.3 - 7.7	M6	25
MS-N6/M4	83728513	32	6	36	30	17	9.5 - 14	5.3 - 7.7	M4	25
MS-N6/M5	83728515	32	6	36	30	17	9.5 - 14	5.3 - 7.7	M5	25
MS-N6/M6	83728517	32	6	36	30	17	9.5 - 14	5.3 - 7.7	M6	25
MS-N8/M4	83728519	32	8	36	30	19	9.5 - 14	5.3 - 7.7	M4	25
MS-N8/M5	83728521	32	8	36	30	19	9.5 - 14	5.3 - 7.7	M5	25
MS-N8/M6	83728523	32	8	36	30	19	9.5 - 14	5.3 - 7.7	M6	25
MS-N10/M4	83728525	32	10	36	30	20.5	9.5 - 14	5.3 - 7.7	M4	25
MS-N10/M5	83728527	32	10	36	30	20.5	9.5 - 14	5.3 - 7.7	M5	25
MS-N10/M6	83728529	32	10	36	30	20.5	9.5 - 14	5.3 - 7.7	M6	25
MS-N12/M4	83728531	32	12	36	30	24	9.5 - 14	5.3 - 7.7	M4	25



## Mounting socket

Article	Order No.	SW mm	Section groove	Ø A mm	Ø B mm	C mm	D mm	E mm	G	PU
MS-N12/M5	83728533	32	12	36	30	24	9.5 - 14	5.3 - 7.7	M5	25
MS-N12/M6	83728535	32	12	36	30	24	9.5 - 14	5.3 - 7.7	M6	25

### Material properties



mod. polyamide PA 6

### Thermal properties



Temperature / temperature range

-30 °C - 100 °C / short term: 130 °C

### Fire properties



Fire classification

acc. to UL94: HB self-extinguishing

### Chemical resistances



Resistant to:

Alcohol

Greases

Fuels

Mineral oils

### Technical information



Halogen-free

### Conformity



RoHS (EC Directive 2011/65/EU)

### Classification

ETIM 9: EC002980

ECLASS 14: 21020791

UNSPSC 26.0801: 31162300



## Mounting socket

### General information



Made in Germany