

Mounting socket



Product information

Mounting socket with universal compatibility.

- Suitable for all conventional aluminum support profiles and thus universally compatible
- Versatile application: Fastening of different systems for maximum flexibility and a wide range of requirements
- Simple and quick assembly thanks to ready-to-install product
- Flexible change of position and subsequent attachment to existing systems possible
- Secure and vibration-proof fastening
- Tensile strength ≥ 25 kg

Information, conformities and approvals



Article	Order No.	SW mm	Section groove	\varnothing A mm	\varnothing B mm	C mm	D mm	E mm	G	PU
MS-N5/M4	83728507	32	5	36	30	15.3	9.5 - 14	5.3 - 7.7	M4	25
MS-N5/M5	83728509	32	5	36	30	15.3	9.5 - 14	5.3 - 7.7	M5	25
MS-N5/M6	83728511	32	5	36	30	15.3	9.5 - 14	5.3 - 7.7	M6	25
MS-N6/M4	83728513	32	6	36	30	17	9.5 - 14	5.3 - 7.7	M4	25
MS-N6/M5	83728515	32	6	36	30	17	9.5 - 14	5.3 - 7.7	M5	25
MS-N6/M6	83728517	32	6	36	30	17	9.5 - 14	5.3 - 7.7	M6	25
MS-N8/M4	83728519	32	8	36	30	19	9.5 - 14	5.3 - 7.7	M4	25
MS-N8/M5	83728521	32	8	36	30	19	9.5 - 14	5.3 - 7.7	M5	25
MS-N8/M6	83728523	32	8	36	30	19	9.5 - 14	5.3 - 7.7	M6	25
MS-N10/M4	83728525	32	10	36	30	20.5	9.5 - 14	5.3 - 7.7	M4	25
MS-N10/M5	83728527	32	10	36	30	20.5	9.5 - 14	5.3 - 7.7	M5	25
MS-N10/M6	83728529	32	10	36	30	20.5	9.5 - 14	5.3 - 7.7	M6	25
MS-N12/M4	83728531	32	12	36	30	24	9.5 - 14	5.3 - 7.7	M4	25



Mounting socket

Article	Order No.	SW mm	Section groove	Ø A mm	Ø B mm	C mm	D mm	E mm	G	PU
MS-N12/M5	83728533	32	12	36	30	24	9.5 - 14	5.3 - 7.7	M5	25
MS-N12/M6	83728535	32	12	36	30	24	9.5 - 14	5.3 - 7.7	M6	25

Material properties

	mod. polyamide PA 6
--	---------------------

Thermal properties

	Temperature / temperature range -30 °C - 100 °C / short term: 130 °C
--	---

Fire properties

	Fire classification acc. to UL94: HB self-extinguishing
--	--

Chemical resistances

	Resistant to: Alcohol Greases Fuels Mineral oils
--	--

Technical information

	Halogen-free
--	--------------

Conformity

	RoHS (EC Directive 2011/65/EU)
--	--------------------------------

Classification

ETIM 9: EC002980 ECLASS 14: 21020791 UNSPSC 26.0801: 31162300



Mounting socket

General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.