


Retraction system spare parts



Product information

Replacement parts for retraction system.
For centering rings, a center ball joint type KMG/G is additionally required.
Type R-FES spring end pieces are inserted directly into a system holder.
From size 56 Jumbo the R-FES is used together with the TRO-70.


Information, conformities and approvals



Article	Order No.	Color	Suitable for EW-PAE	Suitable for EWX-PAE	PU pcs.
Compression spring					
M25/P21 compression spring	83692754	Material color	M25/P21	M25/P21	1
M32/P29 compression spring	83692756	Material color	M32/P29	M32/P29	1
R-FED 40-350	83952440	Material color	M40/P36	M40/P36	1
R-FED 40-600	83952442	Material color	M40/P36	M40/P36	1
R-FED 50-350	83952450	Material color	M50/P48	M50/P48	1
R-FED 50-600	83952452	Material color	M50/P48	M50/P48	1
R-FED 56-500	83952456	Material color	56 Jumbo	56 Jumbo	1
R-FED 56-800	83952458	Material color	56 Jumbo	56 Jumbo	1
R-FED 70-250	83692714	Material color	70 Jumbo	70 Jumbo	1
R-FED 70-800	83952464	Material color	70 Jumbo	70 Jumbo	1
Pressure spring with end piece					
M25/P21 centring device	83692702	Black	M25/P21	M25/P21	1

Retraction system spare parts

Article	Order No.	Color	Suitable for EW-PAE	Suitable for EWX-PAE	PU pcs.
M32/P29 centring device	83692704	Black	M32/P29	M32/P29	1
R-FES M40/P36	83692705	Black	M40/P36	M40/P36	1
R-FES M50/P48	83692706	Black	M50/P48	M50/P48	1
R-FES 56 Jumbo	83692707	Black	56 Jumbo	56 Jumbo	1
R-FES 70 Jumbo	83692708	Black	70 Jumbo	70 Jumbo	1



Article	Order No.	A mm	B mm
M25/P21 compression spring	83692754	164	30
M32/P29 compression spring	83692756	164	38
R-FED 40-350	83952440	350	53
R-FED 40-600	83952442	600	52
R-FED 50-350	83952450	350	62
R-FED 50-600	83952452	600	62
R-FED 56-500	83952456	500	75
R-FED 56-800	83952458	800	75
R-FED 70-250	83692714	250	91.5
R-FED 70-800	83952464	800	88

Pressure spring with end piece

M25/P21 centring device	83692702	36
M32/P29 centring device	83692704	42
R-FES M40/P36	83692705	47

Retraction system spare parts

Article	Order No.	A mm	B mm
R-FES M50/P48	83692706	57	
R-FES 56 Jumbo	83692707	72.5	
R-FES 70 Jumbo	83692708	82.5	

Technical information



Halogen-free

Conformity



RoHS (EC Directive 2011/65/EU)

Approvals and operating permits



ROBI approval

Classification

ETIM 9: EC004650
ECLASS 14: 23080101
UNSPSC 26.0801: 31161904