

## ALU Rectangular with radius, 1x hole





### Product information

The ALU labeling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

### Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
<b>Corner radius 2 mm; with adhesive foil</b>								
ALU 15x15 R2 HF, 1x3.5MM 1)	8604116008	Silver anodized	15 x 15	1x 3.5	1	260	6X	260
ALU 27x12.5 R2 HF, 1x2.5MM 1)	8604116005	Silver anodized	27 x 12.5	1x 2.5	1	176	921	176
ALU 30x10 R2 HF, 1x5MM 1)	8604116019	Black anodized	30 x 10	1x 5.0	1	200	K70	200
ALU 30x10 R2 HF, 1x5MM 1)	8604116018	Green anodized	30 x 10	1x 5.0	1	200	K69	200
ALU 30x10 R2 HF, 1x5MM 1)	8604116017	Blue anodized	30 x 10	1x 5.0	1	200	K68	200
ALU 30x55 R2 HF, 1x22.6MM 1)	8604116004	Silver anodized	30 x 55	1x 22.6	1	30	076	30
ALU 35x15 R2 HF, 1x2.5MM 1)	8604116021	Silver anodized	35 x 15	1x 2.5	1	104	A81	104
ALU 52x18 R2 HF, 1x2.5MM 1)	8604116009	Black anodized	52 x 18	1x 2.5	1	55	A30	55
<b>Corner radius 7 mm; with adhesive foil</b>								
ALU 20x20 R7 HF, 1x2.2MM 1)	8604116003	Silver anodized	20 x 20	1x 2.2	1	150	062	150
ALU <sup>o</sup> 20x20 R7 HF, 1x2.5MM	8604296000	Black anodized	20 x 20	1x 2.5	1	150	845	150




## ALU Rectangular with radius, 1x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
1) ALU 20x20 R7 HF, 1x2,5MM	8604116001	Silver anodized	20 x 20	1x 2.5	1	150	066	150
<b>Corner radius 12 mm; with adhesive foil</b>								
ALU 20x20 R12 HF, 1x2,5MM	8604226014	Black anodized	20 x 20	1x 2.5	1	150	437	150
1) ALU 30x30 R12 HF, 1x3.2MM	8604116007	Silver anodized	30 x 30	1x 3.2	1	60	31	60
<b>Corner radius 0.5 mm; with adhesive foil</b>								
ALU 25x17,5 R0,5 HF, 1x2,8MM	8604116016	Black anodized	25 x 17.5	1x 2.8	1	132	J51	132
<b>Corner radius 9 mm; with adhesive foil</b>								
ALU 25x25 R9 HF, 1x3,0MM	8604116015	Yellow anodized	25 x 25	1x 3.0	1	96	J39	96
1) ALU 25x25 R9 HF, 1x3,0MM	8604116014	Red anodized	25 x 25	1x 3.0	1	96	J38	96
1) ALU 25x25 R9 HF, 1x3,0MM	8604116011	Green anodized	25 x 25	1x 3.0	1	96	H27	96
1) ALU 25x25 R9 HF, 1x3,0MM	8604116010	Blue anodized	25 x 25	1x 3.0	1	96	H26	96
1) ALU 25x25 R9 HF, 1x3,2MM	8604296001	Black anodized	25 x 25	1x 3.2	1	96	01	96
1) ALU 25x25 R9 HF, 1x4,2MM	8604116000	Silver anodized	25 x 25	1x 4.2	1	96	863	96
1) ALU 25x25 R9 HF, 1x4,5MM	8604116006	Black anodized	25 x 25	1x 4.5	1	96	16	96
<b>Corner radius 2 mm; with self-adhesive foil</b>								
ALU 27x18 R2 SK, 1x3.5MM	8604110000	Silver anodized	27 x 18	1x 3.5	1	121	411	121
<b>Corner radius 5 mm; with adhesive foil</b>								
ALU 30x10 R5 HF, 1x4,0MM	8604116012	Black anodized	30 x 10	1x 4.0	1	200	H75	200
1) Other sizes available on request								
1) Other sizes available on request								



## ALU Rectangular with radius, 1x hole



Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
ALU 15x15 R2 HF, 1x3.5MM 1)	8604116008	7.5	11.5
ALU 27x12.5 R2 HF, 1x2.5MM 1)	8604116005	23.75	6.25
ALU 30x10 R2 HF, 1x5MM 1)	8604116019	24	5
ALU 30x10 R2 HF, 1x5MM 1)	8604116018	24	5
ALU 30x10 R2 HF, 1x5MM 1)	8604116017	24	5
ALU 30x55 R2 HF, 1x22.6MM 1)	8604116004	15	15
ALU 35x15 R2 HF, 1x2.5MM 1)	8604116021	3.25	7.5
ALU 52x18 R2 HF, 1x2.5MM 1)	8604116009	26	14.3
<b>Corner radius 7 mm; with adhesive foil</b>			
ALU 20x20 R7 HF, 1x2.2MM 1)	8604116003	10	3
ALU° 20x20 R7 HF, 1x2.5MM 1)	8604296000	10	3
ALU 20x20 R7 HF, 1x2.5MM 1)	8604116001	10	17
<b>Corner radius 12 mm; with adhesive foil</b>			
ALU 20x20 R12 HF, 1x2.5MM 1)	8604226014	10	10
ALU 30x30 R12 HF, 1x3.2MM 1)	8604116007	15	3
<b>Corner radius 0.5 mm; with adhesive foil</b>			
ALU 25x17.5 R0,5 HF, 1x2.8MM 1)	8604116016	12.5	14
<b>Corner radius 9 mm; with adhesive foil</b>			
ALU 25x25 R9 HF, 1x3.0MM 1)	8604116015	12.5	20.5
ALU 25x25 R9 HF, 1x3.0MM 1)	8604116014	12.5	20.5
ALU 25x25 R9 HF, 1x3.0MM 1)	8604116011	12.5	20.5



## ALU Rectangular with radius, 1x hole

Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
ALU 25x25 R9 HF, 1x3,0MM 1)	8604116010	12.5	20.5
ALU 25x25 R9 HF, 1x3,2MM 1)	8604296001	12.5	21
ALU 25x25 R9 HF, 1x4,2MM 1)	8604116000	12.5	21
ALU 25x25 R9 HF, 1x4,5MM 1)	8604116006	12.5	21
<b>Corner radius 2 mm; with self-adhesive foil</b>			
ALU 27x18 R2 SK, 1x3.5MM 1)	8604110000	13.5	3.5
<b>Corner radius 5 mm; with adhesive foil</b>			
ALU 30x10 R5 HF, 1x4,0MM 1)	8604116012	5	5

1) Other sizes available on request

### Material properties



Aluminium anodised (ALU)

### Adhesive properties



467SK adhesive film with adhesive

### Thermal properties



Temperature / temperature range

-40 °C - 140 °C

### Fire properties



Fire classification

V0

### Classification

ETIM 9: EC001288  
ECLASS 14: 27144009  
UNSPSC 26.0801: 39131504



## ALU Rectangular with radius, 1x hole

### General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

### Assembly method



Adhesive system



Screw system

### Labelling technology



Engraving