



WGO terminal block label



Product information

WGO - for terminal manufacturers Wago, Beckhoff and ABB Entelec.
High-quality, halogen-free snap-in label plates. Labels available for mounting individually or in strips.

The large printable area at the top allows room for individual project and terminal block reference, without the need for additional organizational systems.

Information, conformities and approvals



| Article | Order No. | Color | RAL similar | Label size * mm | Printable area* mm | Number of characters / lines | Quantity per frame | Base plate | Software Article | PU pcs. |
|---|-----------|--------|-------------|-----------------|--------------------|------------------------------|--------------------|------------|------------------|---------|
| 4-4.2 mm grid strips in a row, with contoured foot | | | | | | | | | | |
| WGO 3.4/10-4...4.286401806 F | | White | 9016 | 3.4 x 10 | 3.4 x 10 | 5 / 1 | 100 | GP4 | 499 | 1300 |
| 4 mm pitch strips in a row, with contoured foot | | | | | | | | | | |
| WGO 4/10-4 F | 86401808 | White | 9016 | 4 x 10 | 4 x 10 | 5 / 1 | 100 | GP4 | 162 | 1300 |
| 5.1 mm-grid strips in a row, (long mat version) | | | | | | | | | | |
| WGO 5/5-5.1 L | 86401870 | White | 9016 | 5 x 5 | 5 x 5 | 2 / 1 | 100 | GP5 | 541 | 1100 |
| WGO 5/5-5.1 L | 86401872 | Yellow | 1018 | 5 x 5 | 5 x 5 | 2 / 1 | 100 | GP5 | 542 | 1100 |
| WGO 5/5-5.1 L | 86401876 | Green | 6018 | 5 x 5 | 5 x 5 | 2 / 1 | 100 | GP5 | 546 | 1100 |
| WGO 5/5-5.1 L | 86401874 | Red | 2012 | 5 x 5 | 5 x 5 | 2 / 1 | 100 | GP5 | 544 | 1100 |
| WGO 5/5-5.1 L | 86401878 | Blue | 5012 | 5 x 5 | 5 x 5 | 2 / 1 | 100 | GP5 | 543 | 1100 |
| WGO 5/5-5.1 L | 86401873 | Orange | 2011 | 5 x 5 | 5 x 5 | 2 / 1 | 100 | GP5 | 545 | 1100 |
| 5 mm pitch strips in a row | | | | | | | | | | |
| WGO 5/10-5 | 86401810 | White | 9016 | 5 x 10 | 5 x 10 | 5 / 1 | 88 | GP4 | 49 | 2024 |



WGO terminal block label

| Article | Order No. | Color | RAL similar | Label size * mm | Printable area* mm | Number of characters / lines | Quantity per frame | Base plate | Software Article | PU pcs. |
|--|-----------|-------|-------------|--------------------|-----------------------|---------------------------------|--------------------|------------|------------------|---------|
| 5 mm pitch strips in a row, with contoured foot | | | | | | | | | | |
| WGO 5/10-5 F | 86401813 | White | 9016 | 5 x 10 | 5 x 10 | 5 / 1 | 88 | GP4 | 139 | 1408 |
| 5 mm pitch strips in a row (can be applied to a 6 mm pitch pattern) | | | | | | | | | | |
| WGO 5/10-5...6 F | 86401812 | White | 9016 | 5 x 10 | 5 x 10 | 5 / 1 | 88 | GP4 | 141 | 1408 |
| 6.2 mm pitch strips in a row (can be applied to a 7.5 mm pitch pattern) | | | | | | | | | | |
| WGO 5.2/10-6.2...7.5 F | 86401850 | White | 9016 | 5.2 x 10 | 5.2 x 10 | 5 / 1 | 68 | GP4 | 540 | 1088 |

Material properties



Polycarbonate (PC)

Thermal properties



Temperature / temperature range

-40 °C - 130 °C

Fire properties



Fire classification

V0

Technical information



Halogen-free

Classification

ETIM 9: EC000761
ECLASS 14: 27281101
UNSPSC 26.0801: 39131504

General technical data



Assembly method

0000000011000



WGO terminal block label

Assembly method



Snap-fit system



Strip system

Labelling technology



Plotter



Laser



Inkjet