



## WGO terminal block label



### Product information

WGO - for terminal manufacturers Wago, Beckhoff and ABB Entrelec. High-quality, halogen-free snap-in label plates. Labels available for mounting individually or in strips.

The large printable area at the top allows room for individual project and terminal block reference, without the need for additional organizational systems.

### Information, conformities and approvals



Article	Order No.	Color	RAL similar	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
<b>4-4.2 mm grid strips in a row, with contoured foot</b>										
WGO 3.4/10-4...4.286401806 F	86401808	White	9016	3.4 x 10	3.4 x 10	5 / 1	100	GP4	499	1300
<b>4 mm pitch strips in a row, with contoured foot</b>										
WGO 4/10-4 F	86401808	White	9016	4 x 10	4 x 10	5 / 1	100	GP4	162	1300
<b>5.1 mm-grid strips in a row, (long mat version)</b>										
WGO 5/5-5.1 L	86401870	White	9016	5 x 5	5 x 5	2 / 1	100	GP5	541	1100
WGO 5/5-5.1 L	86401872	Yellow	1018	5 x 5	5 x 5	2 / 1	100	GP5	542	1100
WGO 5/5-5.1 L	86401876	Green	6018	5 x 5	5 x 5	2 / 1	100	GP5	546	1100
WGO 5/5-5.1 L	86401874	Red	2012	5 x 5	5 x 5	2 / 1	100	GP5	544	1100
WGO 5/5-5.1 L	86401878	Blue	5012	5 x 5	5 x 5	2 / 1	100	GP5	543	1100
WGO 5/5-5.1 L	86401873	Orange	2011	5 x 5	5 x 5	2 / 1	100	GP5	545	1100
<b>5 mm pitch strips in a row</b>										
WGO 5/10-5	86401810	White	9016	5 x 10	5 x 10	5 / 1	88	GP4	49	2024



## WGO terminal block label

Article	Order No.	Color	RAL similar	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
<b>5 mm pitch strips in a row, with contoured foot</b>										
WGO 5/10-5 F	86401813	White	9016	5 x 10	5 x 10	5 / 1	88	GP4	139	1408
<b>5 mm pitch strips in a row (can be applied to a 6 mm pitch pattern)</b>										
WGO 5/10-5...6 F	86401812	White	9016	5 x 10	5 x 10	5 / 1	88	GP4	141	1408
<b>6.2 mm pitch strips in a row (can be applied to a 7.5 mm pitch pattern)</b>										
WGO 5.2/10-6.2...7.5 F	86401850	White	9016	5.2 x 10	5.2 x 10	5 / 1	68	GP4	540	1088

### Material properties



Polycarbonate (PC)

### Thermal properties



Temperature / temperature range

-40 °C – 130 °C

### Fire properties



Fire classification

VO

### Technical information



Halogen-free

### Classification

ETIM 9: EC000761  
ECLASS 14: 27281101  
UNSPSC 26.0801: 39131504

### General technical data



Assembly method

0000000011000



## WGO terminal block label

### Assembly method



Snap-fit system



Strip system

### Labelling technology



Plotter



Laser



Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.