


KDE label plate




Product information

The KDE label plates are pushed directly onto the single wires.

- For wire cross sections from 0.5 – 4 mm² (AWG 20 – 12).
- Available in three lengths, in the colors white and yellow.

Information, conformities and approvals



Article	Order No.	Color	RAL equiv.	Areas of application from - to in mm (C)	Wire cross section from - to mm ² (D)	Label size (A x B) mm	Quantity per frame	Software Article	Base plate	PU pcs.
Label length 11 mm										
KDE 11x4-3,2	86381240	White	9016	1.7 - 3.2	0.5 - 1.5	4 x 11	48	A78	GP KDE	576
KDE 11x4-3,2	86381241	Yellow	1018	1.7 - 3.2	0.5 - 1.5	4 x 11	48	A79	GP KDE	576
KDE 11x4-4,2	86381242	White	9016	2 - 4.2	1 - 4	4 x 11	48	A80	GP KDE	576
KDE 11x4-4,2	86381243	Yellow	1018	2 - 4.2	1 - 4	4 x 11	48	A81	GP KDE	576
Label length 16 mm										
KDE 16x4-3,2	86381244	White	9016	1.7 - 3.2	0.5 - 1.5	4 x 16	48	A82	GP KDE	576
KDE 16x4-3,2	86381245	Yellow	1018	1.7 - 3.2	0.5 - 1.5	4 x 16	48	A83	GP KDE	576
KDE 16x4-4,2	86381246	White	9016	2 - 4.2	1 - 4	4 x 16	48	A84	GP KDE	576
KDE 16x4-4,2	86381247	Yellow	1018	2 - 4.2	1 - 4	4 x 16	48	A85	GP KDE	576
Label length 21 mm										
KDE 21x4-3,2	86381248	White	9016	1.7 - 3.2	0.5 - 1.5	4 x 21	48	557	GP KDE	576



KDE label plate

Article	Order No.	Color	RAL equiv.	Areas of application from - to in mm (C)	Wire cross section from - to mm ² (D)	Label size (A x B) mm	Quantity per frame	Software Article	Base plate	PU pcs.
KDE 21x4-3,2	86381249	Yellow	1018	1.7 - 3.2	0.5 - 1.5	4 x 21	48	558	GP KDE	576
KDE 21x4-4,2	86381250	White	9016	2 - 4.2	1 - 4	4 x 21	48	559	GP KDE	576
KDE 21x4-4,2	86381251	Yellow	1018	2 - 4.2	1 - 4	4 x 21	48	560	GP KDE	576

Material properties



Polycarbonate (PC)

Thermal properties



Temperature / temperature range

-40 °C - 130 °C

Fire properties



Fire classification

V0

Technical information



Halogen-free

Classification

ETIM 9: EC001530
ECLASS 14: 27281102
UNSPSC 26.0801: 39131504

General technical data



Assembly method

0000010000000

Assembly method



Clamping system



KDE label plate

Labelling technology



Plotter



Laser



Inkjet