





#### **Product information**

KMR - for terminal manufacturers Weidmüller, Conta Clip, ABB Entrelec, Klemsan, Schlegel and Wago.

High-quality, halogen-free snap-in label plates. Labels available for mounting individually or in strips.

The large printable area at the top allows room for individual project and terminal block reference, without the need for additional organizational systems. Label plates designated as "5 - 6 mm grid strips" can be adapted to terminal block widths of 5 mm or 6 mm by means of a flexible connection.

## Information, conformities and approvals

















Article	Order No.	Color	RAL similar	Label size *	Printable area*	Number of characters /	Quantity per frame	Base plate	Software Article	PU pcs.
			Sillilai	mm	mm	lines	pei irailie		AI LICIE	pus.
Single labels										
KMR 5/10	86401010	White	9016	5 x 10	5 x 10	5/1	64	GP4 Single tree adapter 4	30	1024
KMR 5/15	86401014	White	9016	5 x 15	5 x 15	8/1	64	GP4	31	1024
KMR 6/10	86401018	White	9016	6 x 10	6 x 10	5/1	64	GP4	32	1024
KMR 6/15	86401022	White	9016	6 x 15	6 x 15	8/1	64	GP4	33	1024
Single labels, feet outside (FA)										
KMR 5/10 FA	86401032	White	9016	5 x 10	5 x 10	5/1	64	GP4 Single tree adapter 4	160	1024
3.5 mm pitch st	rips in a row									
KMR 3.5/7.5-3.5	86401034	White	9016	3.5 x 7.5	3.5 x 7.5	4/1	120	GP4	161	1200
KMR 3.5/10-3.5	86401046	White	9016	3.5 x 10	3.5 x 10	5/1	120	GP4	423	1200
5 mm pitch stri	ps in a row									
KMR 5/7.5-5	86401026	White	9016	5 x 7.5	5 x 7.5	4/1	88	GP4	34	1408
KMR 5/7.5-5	86401036	Yellow	1018	5 x 7.5	5 x 7.5	4/1	88	GP4	34G	1408

@ Murrplastik Systemtechnik GmbH • as of 2025-12-11 - 177788





Article	Order No.	Color	RAL similar	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
KMR 5/7.5-5	86401044	Red	2012	5 x 7.5	5 x 7.5	4/1	88	GP4	262	1400
KMR 5/7.5-5	86401040	Blue	5012	5 x 7.5	5 x 7.5	4/1	88	GP4	260	1408
KMR 5/7.5-5	86401042	Orange	2011	5 x 7.5	5 x 7.5	4/1	88	GP4	261	1408
KMR 5/10-5	86401012	White	9016	5 x 10	5 x 10	5/1	88	GP4 Single tree adapter 4	35	1408
KMR 5/15-5	86401016	White	9016	5 x 15	5 x 15	8/1	88	GP4	36	1408
KMR 5/15-5	86401017	Yellow	1018	5 x 15	5 x 15	8/1	88	GP4	36G	1408
10 mm pitch strips in a row										
KMR 10/10-10	86401031	White	9016	10 x 10	10 x 10	5/2	44	GP4	31A	660
8 mm pitch strips in a row										
KMR 8/10-8	86401033	White	9016	7.6 x 10	7.6 x 10	5/2	52	GP4	320	780
5.1 mm pitch str	rips in a row									
KMR 5/5-5.1	86401011	White	9016	5 x 5	5 x 5	2/1	100	GP5 Single tree adapter 5	319	1100
KMR 5/7.5-5.1	86401027	White	9016	5 x 7.5	5 x 7.5	4/1	84	GP4	276	1008
KMR 5/7.5-5.1	86401037	Yellow	1018	5 x 7.5	5 x 7.5	4/1	84	GP4	286	1008
KMR 5/7.5-5.1	86401043	Orange	2011	5 x 7.5	5 x 7.5	4/1	84	GP4	296	1008
KMR 5/10-5.1	86401013	White	9016	5 x 10	5 x 10	5/1	84	GP4 Single tree adapter 4	277	1008
KMR 5/15-5.1	86401015	White	9016	5 x 15	5 x 15	8/1	84	GP4	278	1008
5.1 mm grid stri	ps in a row, feet	outside (FA)								
KMR 5/10-5,1 FA	86401048	White	9016	5 x 10	5 x 10	5/1	84	GP4 Single tree adapter 4	487	1008
5 – 6 mm pitch strips										
KMR 5/10-56	86401038	White	9016	4 x 10	4 x 10	5/1	88	GP4 Single tree adapter 4	35U	1408
6 mm pitch strips in a row										
KMR 6/10-6	86401020	White	9016	6 x 10	6 x 10	5/1	72	GP4	37	1008
KMR 6/15-6	86401024	White	9016	6 x 15	6 x 15	8/1	72	GP4	38	1008
6.1 mm pitch strips in a row										





Article	Order No.	Color	RAL similar	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
KMR 6/10-6.1	86401021	White	9016	6 x 10	6 x 10	5/1	72	GP4	37A	1008
KMR 6/15-6.1	86401025	White	9016	6 x 15	6 x 15	8 / 1	72	GP4	38A	1008
6.7 mm pitch strips in a row										
KMR 6/15-6.7	86401028	White	9016	6 x 15	6 x 15	8/1	64	GP4	39	1728

### Material properties



Polycarbonate (PC)

## Thermal properties



Temperature / temperature range

-40 °C - 130 °C

#### Fire properties



Fire classification

VC

#### **Technical information**



Halogen-free

#### Classification

ETIM 9: EC000761 ECLASS 14: 27281101 UNSPSC 26.0801: 39131504

### General technical data



Assembly method

0000000011000

#### Assembly method



Snap-fit system

© Murrplastik Systemtechnik GmbH • 3 as of 2025-12-11 - 177788





#### Assembly method



Strip system

#### Labelling technology



Plotter



Laser



Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the product described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.