

ALU Rectangular with radius, 4x hole





Product information

The ALU labeling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

Information, conformities and approvals




Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Corner radius 2 mm; with adhesive foil								
ALU 15x80 R2 HF, 4x3,5MM 1)	8604146015	Silver anodized	15 x 80	4x 3.5	1	40	M24	40
ALU 40x15 R2 HF, 4x2,5MM 1)	8604146001	Black anodized	40 x 15	4x 2.5	1	91	392	91
ALU 40x15 R2 HF, 4x3,0MM 1)	8604146006	Silver anodized	40 x 15	4x 3.0	1	91	A6	91
ALU 45x30 R2 HF, 4x4,0MM 1)	8604146007	Silver anodized	45 x 30	4x 4.0	1	36	A33	36
ALU 50x45 R2 HF, 4x2,2MM 1)	8604144000	Silver anodized	50 x 45	4x 2.2	1	24	706	24
ALU 60x15 R2 HF, 4x3,0MM 1)	8604146005	Silver anodized	60 x 15	4x 3.0	1	65	A5	65
ALU 60x25 R2 HF, 4x3,0MM 1)	8604146008	Black anodized	60 x 25	4x 3.0	1	24	B28	6
ALU 70x12 R2 HF, 4x3,1MM 1)	8604146016	Silver anodized	70 x 12	4x 3.1	1	64	Z59	64
ALU 80x80 R2 HF, 4x3,3MM 1)	8604146017	Black anodized	80 x 80	4x 3.3	1	6	A8B	6
ALU 80x200 R2 HF, 4x3,4MM 1)	8604146012	Silver anodized	80 x 200	4x 3.4	1	3	K23	3
ALU 85x25 R2 HF, 4x2,2MM	8604144001	Silver anodized	85 x 25	4x 2.2	1	24	705	24



ALU Rectangular with radius, 4x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
1) ALU 140x90 R2 HF, 4x2,5MM	8604146003	Silver anodized	140 x 90	4x 2.5	1	4	645	4
1) ALU 140x90 R2 HF, 4x3,2MM	8604146004	Silver anodized	140 x 90	4x 3.2	1	4	A1	4
Corner radius 2 mm; with self-adhesive foil								
ALU 40x15 R2 SK, 4x3.0MM	8604140002	Silver anodized	40 x 15	4x 3.0	1	91	987	91
1) ALU 60x15 R2 SK, 4x3.0MM	8604140001	Silver anodized	60 x 15	4x 3.0	1	65	986	65
1) ALU 70x12 R2 SK, 4x3.1MM	8604140003	Silver anodized	70 x 12	4x 3.1	1	64	H93	64
1) ALU 100x70 R2 SK, 4x4.0MM	8604140000	Silver anodized	100 x 70	4x 4.0	1	6	859	6
1) ALU 120x100 R2 SK, 4x2.5MM	8604140004	Blue anodized	120 x 100	4x 2.5	1	4	M67	4
Corner radius 3 mm; with adhesive foil								
ALU 60x100 R3 HF, 4x3,5MM	8604146014	Black anodized	60 x 100	4x 3.5	1	10	K72	10
Corner radius 1 mm; with self-adhesive foil								
ALU 70x45 R1 SK, 4x3.2MM	8604140039	Silver anodized	70 x 45	4x 3.2	1	16	H80	16
1) Other sizes available on request								
1) Other sizes available on request								



Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 15x80 R2 HF, 4x3,5MM 1)	8604146015	4.5	69.5	5.25	5.25	9.75	74.75
ALU 40x15 R2 HF, 4x2,5MM 1)	8604146001	30	7.5	5	3.75	35	11.25
ALU 40x15 R2 HF, 4x3,0MM 1)	8604146006	34	9	3	3	37	12



ALU Rectangular with radius, 4x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 45x30 R2 HF, 4x4,0MM 1)	8604146007	29	10	8	10	37	20
ALU 50x45 R2 HF, 4x2,2MM 1)	8604144000	40	35	5	5	45	40
ALU 60x15 R2 HF, 4x3,0MM 1)	8604146005	54	9	3	3	57	12
ALU 60x25 R2 HF, 4x3,0MM 1)	8604146008	51	16	4.5	4.5	55.5	20.5
ALU 70x12 R2 HF, 4x3,1MM 1)	8604146016	63	5	3.5	3.5	66.5	8.5
ALU 80x80 R2 HF, 4x3,3MM 1)	8604146017	74	74	3	3	77	77
ALU 80x200 R2 HF, 4x3,4MM 1)	8604146012	60	180	10	10	70	190
ALU 85x25 R2 HF, 4x2,2MM 1)	8604144001	79	19	3	3	82	22
ALU 140x90 R2 HF, 4x2,5MM 1)	8604146003	130	80	5	5	135	85
ALU 140x90 R2 HF, 4x3,2MM 1)	8604146004	130	80	5	5	135	85
Corner radius 2 mm; with self-adhesive foil							
ALU 40x15 R2 SK, 4x3,0MM 1)	8604140002	31	6	4.5	4.5	35.5	10.5
ALU 60x15 R2 SK, 4x3,0MM 1)	8604140001	51	6	4.5	4.5	55.5	10.5
ALU 70x12 R2 SK, 4x3,1MM 1)	8604140003	63	5	3.5	3.5	66.5	8.5
ALU 100x70 R2 SK, 4x4,0MM 1)	8604140000	88	58	6	6	94	64
ALU 120x100 R2 SK, 4x2,5MM 1)	8604140004	112.5	92.5	3.75	3.75	116.25	96.25
Corner radius 3 mm; with adhesive foil							
ALU 60x100 R3 HF, 4x3,5MM 1)	8604146014	49.5	89.5	5.25	5.25	54.75	94.75
Corner radius 1 mm; with self-adhesive foil							
ALU 70x45 R1 SK, 4x3,2MM 1)	8604140039	63	38	3.5	3.5	66.5	41.5

1) Other sizes available on request

Material properties



Aluminium anodised (ALU)



ALU Rectangular with radius, 4x hole

Adhesive properties



467SK adhesive film with adhesive

Thermal properties



Temperature / temperature range

-40 °C - 140 °C

Fire properties



Fire classification

V0

Classification

ETIM 9: EC001288
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

Assembly method



Adhesive system



Screw system

Labelling technology



Engraving