

## ALU Rectangular with radius, 4x hole




### Product information

The ALU labeling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

### Information, conformities and approvals




Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
<b>Corner radius 2 mm; with adhesive foil</b>								
ALU 15x80 R2 HF, 4x3,5MM 1)	8604146015	Silver anodized	15 x 80	4x 3.5	1	40	M24	40
ALU 40x15 R2 HF, 4x2,5MM 1)	8604146001	Black anodized	40 x 15	4x 2.5	1	91	392	91
ALU 40x15 R2 HF, 4x3,0MM 1)	8604146006	Silver anodized	40 x 15	4x 3.0	1	91	A6	91
ALU 45x30 R2 HF, 4x4,0MM 1)	8604146007	Silver anodized	45 x 30	4x 4.0	1	36	A33	36
ALU 50x45 R2 HF, 4x2,2MM 1)	8604144000	Silver anodized	50 x 45	4x 2.2	1	24	706	24
ALU 60x15 R2 HF, 4x3,0MM 1)	8604146005	Silver anodized	60 x 15	4x 3.0	1	65	A5	65
ALU 60x25 R2 HF, 4x3,0MM 1)	8604146008	Black anodized	60 x 25	4x 3.0	1	24	B28	6
ALU 70x12 R2 HF, 4x3,1MM 1)	8604146016	Silver anodized	70 x 12	4x 3.1	1	64	Z59	64
ALU 80x80 R2 HF, 4x3,3MM 1)	8604146017	Black anodized	80 x 80	4x 3.3	1	6	A8B	6
ALU 80x200 R2 HF, 4x3,4MM 1)	8604146012	Silver anodized	80 x 200	4x 3.4	1	3	K23	3
ALU 85x25 R2 HF, 4x2,2MM	8604144001	Silver anodized	85 x 25	4x 2.2	1	24	705	24



## ALU Rectangular with radius, 4x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
1) ALU 140x90 R2 HF, 4x2,5MM 1)	8604146003	Silver anodized	140 x 90	4x 2.5	1	4	645	4
1) ALU 140x90 R2 HF, 4x3,2MM 1)	8604146004	Silver anodized	140 x 90	4x 3.2	1	4	A1	4
<b>Corner radius 2 mm; with self-adhesive foil</b>								
ALU 40x15 R2 SK, 4x3,0MM 1)	8604140002	Silver anodized	40 x 15	4x 3.0	1	91	987	91
1) ALU 60x15 R2 SK, 4x3,0MM 1)	8604140001	Silver anodized	60 x 15	4x 3.0	1	65	986	65
1) ALU 70x12 R2 SK, 4x3,1MM 1)	8604140003	Silver anodized	70 x 12	4x 3.1	1	64	H93	64
1) ALU 100x70 R2 SK, 4x4,0MM 1)	8604140000	Silver anodized	100 x 70	4x 4.0	1	6	859	6
1) ALU 120x100 R2 SK, 4x2,5MM 1)	8604140004	Blue anodized	120 x 100	4x 2.5	1	4	M67	4
<b>Corner radius 3 mm; with adhesive foil</b>								
ALU 60x100 R3 HF, 4x3,5MM 1)	8604146014	Black anodized	60 x 100	4x 3.5	1	10	K72	10
<b>Corner radius 1 mm; with self-adhesive foil</b>								
ALU 70x45 R1 SK, 4x3,2MM 1)	8604140039	Silver anodized	70 x 45	4x 3.2	1	16	H80	16
1) Other sizes available on request								
1) Other sizes available on request								



Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 15x80 R2 HF, 4x3,5MM 1)	8604146015	4.5	69.5	5.25	5.25	9.75	74.75
ALU 40x15 R2 HF, 4x2,5MM 1)	8604146001	30	7.5	5	3.75	35	11.25
ALU 40x15 R2 HF, 4x3,0MM 1)	8604146006	34	9	3	3	37	12



## ALU Rectangular with radius, 4x hole

Article	Order No.	Drill hole pitch X mm	Drill hole pitch Y mm	Drill hole position X1 mm	Drill hole position Y1 mm	Drill hole position X2 mm	Drill hole position Y2 mm
ALU 45x30 R2 HF, 4x4,0MM 1)	8604146007	29	10	8	10	37	20
ALU 50x45 R2 HF, 4x2,2MM 1)	8604144000	40	35	5	5	45	40
ALU 60x15 R2 HF, 4x3,0MM 1)	8604146005	54	9	3	3	57	12
ALU 60x25 R2 HF, 4x3,0MM 1)	8604146008	51	16	4.5	4.5	55.5	20.5
ALU 70x12 R2 HF, 4x3,1MM 1)	8604146016	63	5	3.5	3.5	66.5	8.5
ALU 80x80 R2 HF, 4x3,3MM 1)	8604146017	74	74	3	3	77	77
ALU 80x200 R2 HF, 4x3,4MM 1)	8604146012	60	180	10	10	70	190
ALU 85x25 R2 HF, 4x2,2MM 1)	8604144001	79	19	3	3	82	22
ALU 140x90 R2 HF, 4x2,5MM 1)	8604146003	130	80	5	5	135	85
ALU 140x90 R2 HF, 4x3,2MM 1)	8604146004	130	80	5	5	135	85

### Corner radius 2 mm; with self-adhesive foil

ALU 40x15 R2 SK, 4x3,0MM 1)	8604140002	31	6	4.5	4.5	35.5	10.5
ALU 60x15 R2 SK, 4x3,0MM 1)	8604140001	51	6	4.5	4.5	55.5	10.5
ALU 70x12 R2 SK, 4x3,1MM 1)	8604140003	63	5	3.5	3.5	66.5	8.5
ALU 100x70 R2 SK, 4x4,0MM 1)	8604140000	88	58	6	6	94	64
ALU 120x100 R2 SK, 4x2,5MM 1)	8604140004	112.5	92.5	3.75	3.75	116.25	96.25

### Corner radius 3 mm; with adhesive foil

ALU 60x100 R3 HF, 4x3,5MM 1)	8604146014	49.5	89.5	5.25	5.25	54.75	94.75
---------------------------------	------------	------	------	------	------	-------	-------

### Corner radius 1 mm; with self-adhesive foil

ALU 70x45 R1 SK, 4x3,2MM 1)	8604140039	63	38	3.5	3.5	66.5	41.5
--------------------------------	------------	----	----	-----	-----	------	------

1) Other sizes available on request

## Material properties

 Aluminium anodised (ALU)
---



## ALU Rectangular with radius, 4x hole

### Adhesive properties



467SK adhesive film with adhesive

### Thermal properties



Temperature / temperature range

-40 °C - 140 °C

### Fire properties



Fire classification

V0

### Classification

ETIM 9: EC001288  
ECLASS 14: 27144009  
UNSPSC 26.0801: 39131504

### General technical data



Assembly method

00000001Label glued into place 0001Mounting the label with screws 0

### Assembly method



Adhesive system



Screw system

### Labelling technology



Engraving

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.