

Tension clamp (axis 6)



Product information

The R-SSR tension clamp serves to provide a fixing point on axis 6. Additional fastening elements can be affixed to the tension clamp as required.

Information, conformities and approvals



Article	Order No.	Color	Ø mm	A mm	B mm	PU pcs.
Kuka KR6, KR 10 retaining plate, axis 6	83692753	Black	39.5	83		1
R-SSR D 40 tension clamp with angled sheet	83697006					1
R-SSR D 40 tension clamp with angled sheet	83693205	Black	40			1
R-SSR D50	82570033					1
R-SSR D 50 tension clamp with angled sheet	83952697	Black	50	89.5		1
R-SSR D62	82570002					1
R-SSR D63	82570034					1
R-SSR D63 - Langer Hals	82570032					1
R-SSR D63 tension clamp 1)	83693206	Black	63	70		1
R-SSR D63 tension clamp UR3 1)	83693201	Black	63	54		1
R-SSR D 63 tension clamp with angled sheet 2)	83952699	Black	63	99.3		1
R-SSR 63 Integra clamping clamp	83693204	Black	63			1
R-SSR D67 tension clamp HCR-3	83693211					1

Tension clamp (axis 6)

Article	Order No.	Color	Ø mm	A mm	B mm	PU pcs.
R-SSR D75 tension clamp UR5 1)	83693202	Black	75	60		1
R-SSR D 80 tension clamp with angled sheet	83697015	Black	80			1
R-SSR D84 tension clamp HCR-5	83693210					1
R-SSR D90 tension clamp UR10 1)	83693203	Black	90	68		1
R-SSR D95 tension clamp HCR-12	83693209					1
R-SSR 95-1 15° clamp	83952669	Black	95	289	32	1
R-SSR-D100 Tension clamp	83693225	Black	100	74		1
R-SSR 100-1 tension clamp with pipe 15°	83952626	Black	100	289	32	1
R-SSR 116-2 tension clamp with pipe, straight	83692712	Black	116	301	32	1
R-SSR 122-2 Tension clamp with pipe, straight	83693213	Black	122	304	32	1
R-SSR 125-1 tension clamp with pipe 15°	82952696	Black	125	361.6	32	1
R-SSR 125-2 tension clamp with pipe, straight	82390044	Black	125	352.5	32	1
R-SSR 140-2 tension clamp with pipe, straight	82390067	Black	140	355	32	1
R-SSR 160-1 tension clamp with pipe 15°	83952628	Black	160	374.4	32	1
R-SSR 160-2 tension clamp with pipe, straight	83952629	Black	160	370	32	1
R-SSR 172-1 tension clamp with pipe 15°	83952634	Black	172	384	32	1
R-SSR 180-1 tension clamp with pipe 15°	82390032	Black	180	384	32	1
R-SSR 190-1 tension clamp with pipe 15°	83952638	Black	190	384	32	1
R-SSR 200-1 tension clamp with pipe 15°	83952642	Black	200	388.2	32	1
R-SSR 220-1 tension clamp with pipe 15°	83952640	Black	220	392.3	32	1
R-SSR 234-1 15° clamp	83693207	Black	234	232.61	32	1
R-SSR 250-1 tension clamp with pipe 15°	83952646	Black	250	412.3	32	1
R-SSR 315-1 tension clamp with pipe 15°	83692711	Black	315	493.7	32	1

1) Suitable for system holder SH M25/M32

2) Suitable for system holder SH M40/M50

1) Suitable for system holder SH M25/M32

2) Suitable for system holder SH M40/M50

Tension clamp (axis 6)

Material properties



Powder coated Sheet steel Sheet steel

Conformity



RoHS (EC Directive 2011/65/EU)

Approvals and operating permits



ROBI approval

Classification

ETIM 9: EC000127
ECLASS 14: 23140107

General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.