



## Cable fixing plate type KAF




### Product information

The cable fixing plate KAF is suitable for simultaneously holding and relieving the strain of cables in the control cabinet. Designed to be mounted on a standard 35 mm top-hat rail (EN 50022; Niedax 2934;2936) or on a C-rail (Niedax 2970;2971). Installation is a simple snap-in process.

- Approved for railway technology (EN 45545-2 / NFPA 130)

### Information, conformities and approvals



Article	Order No.	Color	No. Cables	PU pcs.
KAF 11	87201010	Black	1	1
KAF 75	87201014	Black	5	1
KAF 140	87201018	Black	9	1

Article	Order No.	A mm	B mm	a mm	EH mm	K mm	L mm	M mm
KAF 75	87201014	75	40	63	11	13.5	12	9.3
KAF 140	87201018	139.5	40	127.8	11	13.5	12	9.3

### Material properties

	Polyamide 6.6
--	---------------



## Cable fixing plate type KAF

### Thermal properties



Temperature / temperature range

-40 °C - 125 °C

### Fire properties



Fire classification

VO



Fire properties as per EN 45545-2

C.I.T. R22 / R23 HL3 :0,44 EN 17084  
Ds (max.) R22 / R23 HL3 :≥ 32 % ISO 4589-2  
LOI R22 / R23 HL3 :59 ISO 5659-2



Resistant to:

Alcohol  
Greases  
Fuels  
Lyes  
Mineral oils  
Weak acids

### Technical information



Halogen-free



LABS free



According to ISO 4892-2

### Assembly method



### Conformity



RoHS (EC Directive 2011/65/EU)

### Approvals and operating permits



GL approval



EU railway approval



## Cable fixing plate type KAF

### Classification

ETIM 9: EC000322  
ECLASS 14: 27400604  
UNSPSC 26.0801: 39121719

### General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.