



BZS/F label rail - black - 9 and 15 mm



Product information

The BZS/F labeling system was developed as a simple means of accommodating a great deal of labeling information in or on the control cabinet. The label holder with the snap-in labels provides vertical and horizontal designations on terminal blocks and other components. It may be fitted on the top-hat rail, C-rail or the cable duct with a high degree of flexibility.

The label holder can be cut to any length.

The BZS/F label holders are available in 9 mm and 15 mm widths.

- BZS/F: with holes
- BZS/F K: with holes and adhesive strips
- BZS/F SK: self-adhesive without holes



Information, conformities and approvals



Article	Order No.	Color	Length mm	Width mm	Recommended Label	PU pcs.
Label rail with drilled holes at 9 mm width						
BZS/F 09 - 500	86301634	Black	500	9	KSO x/9	25
BZS/F 09 - 600	86301636	Black	600	9	KSO x/9	25
BZS/F 09 - 1000	86301638	Black	1000	9	KSO x/9	25
BZS/F 09 - 1300	86301640	Black	1300	9	KSO x/9	25
Label rail with drilled holes and adhesive strips (adhesive 4930) as assembly aid at 9 mm width						
BZS/F 09 - 500 K	86301684	Black	500	9	KSO x/9	25
BZS/F 09 - 600 K	86301686	Black	600	9	KSO x/9	25
BZS/F 09 - 1000 K	86301688	Black	1000	9	KSO x/9	25
BZS/F 09 - 1300 K	86301690	Black	1300	9	KSO x/9	25
Self-adhesive label rail (adhesive 1780) without drilled holes for uneven surfaces (hammer enamel) at 9 mm width						
BZS/F 09 - 500 SK	86301654	Black	500	9	KSO x/9	25
BZS/F 09 - 600 SK	86301656	Black	600	9	KSO x/9	25
BZS/F 09 - 1000 SK	86301658	Black	1000	9	KSO x/9	25



BZS/F label rail - black - 9 and 15 mm

Article	Order No.	Color	Length mm	Width mm	Recommended Label	PU pcs.
BZS/F 09 - 1300 SK	86301660	Black	1300	9	KSO x/9	25
Label rail with drilled holes at 15 mm width						
BZS/F 15 - 500	86301834	Black	500	15	KS 15/x	25
BZS/F 15 - 600	86301836	Black	600	15	KS 15/x	25
BZS/F 15 - 1000	86301838	Black	1000	15	KS 15/x	25
BZS/F 15 - 1300	86301840	Black	1300	15	KS 15/x	25
Label rail with drilled holes and adhesive strips (adhesive 4930) as assembly aid at 15 mm width						
BZS/F 15 - 430 K	86301885	Black	430	15	KS 15/x	25
BZS/F 15 - 500 K	86301884	Black	500	15	KS 15/x	25
BZS/F 15 - 600 K	86301886	Black	600	15	KS 15/x	25
BZS/F 15 - 630 K	86301887	Black	630	15	KS 15/x	25
BZS/F 15 - 650 K	86301889	Black	650	15	KS 15/x	25
BZS/F 15 - 1000 K	86301888	Black	1000	15	KS 15/x	25
BZS/F 15 - 1300 K	86301890	Black	1300	15	KS 15/x	25
Self-adhesive label rail (adhesive 1780) without drilled holes for uneven surfaces (hammer enamel) at 15 mm width						
BZS/F 15 - 430 SK	86301855	Black	430	15	KS 15/x	25
BZS/F 15 - 500 SK	86301854	Black	500	15	KS 15/x	25
BZS/F 15 - 600 SK	86301856	Black	600	15	KS 15/x	25
BZS/F 15 - 630 SK	86301857	Black	630	15	KS 15/x	25
BZS/F 15 - 650 SK	86301859	Black	650	15	KS 15/x	25
BZS/F 15 - 1000 SK	86301858	Black	1000	15	KS 15/x	25
BZS/F 15 - 1300 SK	86301860	Black	1300	15	KS 15/x	25

Material properties



Polyvinyl chloride (PVC)



BZS/F label rail - black - 9 and 15 mm

Adhesive properties



4930
1780BZS/F K with adhesive
BZS/F SK with adhesive

Thermal properties



Temperature / temperature range
-40 °C - 80 °C

Fire properties



Fire classification
V0

Classification

ETIM 9: EC000141
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

Assembly method



Adhesive system



Riveting system



Screw system