



## KST type plate




### Product information

Type plate for marking installations, components, housings, and appliances. Fixing with self-adhesive foil. The option of additional securing via rivets or screw-mounting.

Base plates  
GP 120x120 (mp-LM 1M, mp-1M)  
GPU A4 (plotter)  
mp-LM Carrier plate premium (mp-LM 3)

A suction and filter unit is absolutely necessary to comply with legal regulations on health protection.

### Information, conformities and approvals



Article	Order No.	Color	Label size (A x B) mm	Printable area (C x B) mm	Software Article	PU pcs.
KST 52x26 R3	8607140006	White	52 x 26	37 x 26	L36	10
KST 74x37 R3	8607140005	White	74 x 37	59 x 37	L35	10
KST 84x54 R3	8607140004	White	84 x 54	69 x 54	L34	10
KST 100x60 R5	8607140003	White	100 x 60	82.5 x 60	L33	10
KST 120x70 R5	8607140002	White	120 x 70	102.5 x 70	L32	10
KST 139x85 R5	8607140001	White	139 x 85	121.5 x 85	L31	10
KST 139x139 R5	8607140000	White	139 x 139	121.5 x 139	L30	10

### Material properties



Polycarbonate



## KST type plate

### Adhesive properties



468Adhesive

### Thermal properties



Temperature / temperature range

-40 °C - 130 °C

### Fire properties



Fire classification

V0

### Technical information



Halogen-free

### Classification

ETIM 9: EC001288  
ECLASS 14: 27144009  
UNSPSC 26.0801: 39131504

### General technical data



Assembly method

0000000100110

### Assembly method



Adhesive system



Riveting system



Screw system

### Labelling technology



Plotter



Laser



---

## KST type plate

---

### Labelling technology



Inkjet

---