Label holder BMA







Product information

The BMA system is a flexible system for the labeling of push-buttons and signal lamps.

The neutral BMA type label holders can be equipped with various BT-SR type label frames, depending on the labeling requirement or request.

Information, conformities and approvals

Article	Order No.	Color	Recommended Label	PU pcs.
Holder standard				
BMA 22,5	86442020	Black		50
BMA 30.0	86442024	Black		50
Standard label frame				
BT-SR 15x27	86442034	Black	KS 15/27	10
BT-SR 15x49	86442036	Black	KS 15/49	10
BT-SR 15x67	86442038	Black	KS 15/67	10
BT-SR 27x12.5	86442028	Black	KSK 27x12,5	10
BT-SR 27x18	86442030	Black	KSK 27x18	10
BT-SR 27x27	86442032	Black	KSK 27x27	10
Holder Harmony				
BMA 22,5 Harmony	86442022	Black		50
Harmony label frame				

Label holder BMA

Article	Order No.	Color	Recommended Label	PU pcs.
BT-SR 8x26.5 Harmony	86442026	Black	KS 8/26.5	10
BT-SR 27x18 Harmony	86442042	Black	KSK 27x18	10
Transparent cover for label holder				
TA 8/26.5	86441418	Transparent		
TA 15/27	86441410	Transparent		
TA 15/49	86441412	Transparent		
TA 15/67	86441414	Transparent		
TA 27/12.5	86441420	Transparent		216
TA 27/18	86441422	Transparent		180

Material properties

BT-SR and BMA: Polyvinyl chloride (PVC)
TA: Polycarbonate (PC) Polyvinyl chloride (PVC)
Polycarbonate (PC)

Thermal properties

Temperature / temperature range

-40 °C – 80 °C

Fire properties

Fire classification

V0

Classification

ETIM 9: EC000141
ECLASS 14: 27144009
UNSPSC 26.0801: 39131504

General technical data

Assembly method

0000000000110

Label holder BMA

Assembly method

Riveting system

Screw system

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.
A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.
All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.
They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.
Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.
Murrplastik accepts no liability for damage caused as a result of using our products.
Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.
Our General Terms and Conditions apply.