



Label KNC/ B




Product information

High-quality, halogen-free label for simultaneous double-sided subsequent direct labeling of wires. The KNC/B label, made of PC materials, was developed for the direct and subsequent labeling of cords and cables on the front and back. No tools required.

Available in five sizes for wire cross-sections of 1.6 - 5.7 mm.

Information, conformities and approvals



Article	Order No.	Color	RAL equiv.	Areas of application from - to in mm (C)	Label size (A x B) mm	Printable area mm	Number of characters / lines	Quantity per frame	Software Article	Base plate	PU pcs.
For cable diameters of 1.6 mm to 2.0 mm											
KNC/B 4,0/15-1,0	86382002	White	9016	1.6 - 2	4 x 15	4 x 15	8 / 1	21	C24	GP3C-B	273
KNC/B 4,0/23-1,0	86382006	White	9016	1.6 - 2	4 x 23	4 x 23	12 / 1	21	C25	GP3C-B	273
For cable diameters of 2.0 mm to 2.5 mm											
KNC/B 4,0/15-2,0	86382012	White	9016	2 - 2.5	4 x 15	4 x 15	8 / 1	21	C26	GP3C-B	273
KNC/B 4,0/23-2,0	86382016	White	9016	2 - 2.5	4 x 23	4 x 23	12 / 1	21	C27	GP3C-B	273
For cable diameters of 2.9 mm to 3.6 mm											
KNC/B 5,5/15-3,0	86382022	White	9016	2.9 - 3.6	5.5 x 15	5.5 x 15	8 / 1	18	C28	GP3C-B	234
KNC/B 5,5/23-3,0	86382026	White	9016	2.9 - 3.6	5.5 x 23	5.5 x 23	12 / 1	18	C29	GP3C-B	234
For cable diameters of 4.1 mm to 4.6 mm											
KNC/B 5,5/23-4,0	86382036	White	9016	4.1 - 4.6	5.5 x 23	5.5 x 23	12 / 1	18	C30	GP3C-B	234
For cable diameters of 5.7 mm											



Label KNC/ B

Article	Order No.	Color	RAL equiv.	Areas of application from - to in mm (C)	Label size (A x B) mm	Printable area mm	Number of characters / lines	Quantity per frame	Software Article	Base plate	PU pcs.
KNC/B 7,2/23-5,086382046		White	9016	5.1 - 5.7	7.2 x 23	7.2 x 23	12 / 2	15	C31	GP3C-B	165

Material properties



Polycarbonate (PC)

Thermal properties



Temperature / temperature range

-40 °C - 130 °C

Fire properties



Fire classification

V0

Technical information



Halogen-free

Classification

ETIM 9: EC001530
ECLASS 14: 27281102
UNSPSC 26.0801: 39131504

General technical data



Assembly method

0000010000000

Assembly method



Clamping system

Labelling technology



Plotter



Label KNC/ B

Labelling technology



Laser



Inkjet
